AUTHOR INDEX

VOLUME 74

British Journal of Anaesthesia

ARS = Anaesthetic Research Society Abstracts

C = Correspondence

E = Editorial

R = Book Review

ABBOUD, T. *see* ABOULEISH, E., (*C*) 347–348; (*C*) 348

ABDULATIF, M. Recovery characteristics after early administration of anticholinesterases during intense mivacurium-induced neuromuscular block 20–25

ABDULATIF, M. *see* NAGUIB, M. 26–30

ABERNETHY, J. *see* SERPELL, M. G., (*ARS*) 480–481P

ABOULEISH, E. and ABBOUD, T. Rocuronium for Caesarean section, (*C*) 347–348; Rocuronium for Caesarean section, (*C*) 348

ADACHI, H. *see* WAJIMA, Z. 392–395

AGOSTINI, M. M. *see* SLAVOV, V. 709–711

AHMAD, I. and PLEUVRY, B. J. Interactions between opioid drugs and propofol in laboratory models of seizures 311–314

AITKENHEAD, A. R. *see* SINGH, P. 714–716

AKHTAR, T. Risk of aspiration with the laryngeal mask, (*C*) 239

ALBERRY, R. *see* RAZIS, P. A. 335–337

ALEXANDER, P. D. and MEURER-LABAN, M. Rechargeable Optima laryngoscopes, (*C*) 724–725

ALEXANDER-WILLIAMS, M. Methoxamine and blood loss in prostatic surgery, (*C*) 628

AL-GHAMDI, A. *see* NAGUIB, M. 26–30

ALLARD, J., DZWONCZYK, R., YABLOK, D., BLOCK JR, F. E. and MCDONALD, J. S. Effect of automatic record keeping on vigilance and record keeping time 619–626

ALLISON, J. M., GREGORY, R. S., BIRCH, K. P. and CROWDER, J. G. Determination of anaesthetic agent concentration by refractometry 85–88

AMAHA, K. *see* SAITOH, Y. 293–295

ANDERSEN, K. H. Circumcision analgesia, (*C*) 627

ANDERSON, E. *see* SERPELL, M. G., (*ARS*) 480–481P

ANDRÉ, B. *see* LAROCHE, D. 430–437

ANDREWS, P. J. D., BELL, M. J., GRANT, I. S. and KELLY, K. Comparison of three methods of cardiac output measurement, (*ARS*) 480P

ANTTONEN, H., PUHAKKA, K., NISKANEN, J. and RYHÄNEN, P. Cutaneous heat loss in children during anaesthesia 306–310

APPADU, B. L. *see* LAMBERT, D. G., (*E*) 497–499

AROCK, M. *see* RIOU, B. 424–429

ARVELA, V. *see* HIIPPALA, S. 534–537

ASAI, T., BARCLAY, K., POWER, I. and VAUGHAN, R. S. Cricoid pressure impedes placement of the laryngeal mask airway 521–525

ASBURY, A. J. *see* MILLAR, K. 180–183

ASKO-SELJAVAARA, S. *see* TUOMINEN, H. P. 661–666

BACARDAZ, C. *see* PEREZ, A. 250–256

BÄCKSTRÖM, T. *see* WANG, M. D. 553–557

BACON, P. J. *see* GUPTA, A. K., (*ARS*) 475–476P; KELLOW, N. H., (*ARS*) 474–475P

BAGHDOYAN, H. A. *see* CRONIN, A. 188–192

BAKHSHI, K. N. *see* LANGFORD, R. M., (*C*) 239–240

BALL, D. A. Aprotinin in knee replacement surgery, (*C*) 243–244

BANKS, I. and TACKLEY, R. Events, incidents and critical incidents, (*C*) 631–632

BARCLAY, K. *see* ASAI, T. 521–525

BARKER, J. P., ROBINSON, P. N., VAFIDIS, G. C., BURRIN, J. M., SAPSED-BYRNE, S. and HALL, G. M. Metabolic control of non-insulin-dependent diabetic patients undergoing cataract surgery: comparison of local and general anaesthesia 500–505

BARNARD, J. P. M. and SLEIGH, J. W. Breath-by-breath analysis of oxygen uptake using the Datex Ultima 155–158

BARONDENS, J. *see* WALTAN, J., (*R*) 245

BARRIE, J. R., CAMPBELL, I. T., BEATTY, P. C. W. and MEAKIN, G. Fractional delivery as a predictor of end-tidal carbon dioxide concentration during controlled ventilation in adults, (*ARS*) 485P

BARROWCLIFFE, M., LEWIS, I. and CAMPBELL, N. Effect of nabilone on nausea and vomiting, (*C*) 112–113

BAUM, M. *see* GILLY, H., (*C*) 630–631

BAURAIN, M. J., DERNOVOI, B. S., D'HOLLANDER, A. A., HENNART, D. A. and CANTRAINE, F. R. Low and high frequency stimulation tests to characterize the effects of edrophonium on vecuronium-induced neuromuscular block 12–15

BAXTER, M. K. *see* TARLING, M. M., (*ARS*) 476–477P

BAYLY, P. J. M. Post-reperfusion coagulopathy, (*C*) 629

BEARDSLEY, D. *see* STEVENS, R. A., (*ARS*) 480P

BEATTY, P. C. W. *see* BARRIE, J. R., (*ARS*) 485P

BECK, D. H. *see* O'DONNELL, C. J. 343–344

BELL, M. J. *see* ANDREWS, P. J. D., (*ARS*) 480P

BELLAMY, M. C. *see* VALENTINE, J. M. J., (*C*) 490

BELLHOUSE, C. P. Prediction of difficult tracheal intubation, (*C*) 490

BELLIDO, I. *see* GOMEZ, A. 549–552

BENHAMOU, D. *see* MERCIER, F. J. 301–305

BENZER, A. *see* HÖRMANN, Ch. 616–618

BERKENBOSCH, A. *see* DAHAN, A. 544–548

BERRY, A. M. *see* BRAIN, A. I. J., (*C*) 489–490

BHANUMURTHY, S. *see* LOAN, P. B. 330–332

BIRCH, K. P. *see* ALLISON, J. M. 85–88

BIRCH, P. J. *see* MUNGLANI, R., (*ARS*) 482P

BIRNBACH, D. J. *see* BOURLIER, R. A., (*C*) 629

BITO, H. and IKEDA, K. Degradation products of sevoflurane during low-flow anaesthesia 56–59; Effect of total flow rate on the concentration of degradation products generated by reaction between sevoflurane and soda lime 667–669

BJÖRKENHEIM, J.-M. *see* ROSENBERG, P. H. 89–91

BJORKSTEN, A. R. *see* PETRING, O. U. 257–260

BLAKE, D. W. *see* PETRING, O. U. 257–260

BLOBNER, M., JELEN-ESSELBORN, S., SCHNEIDER, G., MANN, R., KLING, M., LUPPA, P., SCHNECK, H. J. and KOCHS, E. Effect of renal function on neuromuscular block induced by continuous infusion of mivacurium 452–454

BLOCK JR, F. E. *see* ALLARD, J. 619–626

BOER, F., ENGBERS, F. H. M., BOVILL, J. G., BURM, A. G. L. and HAK, A. First-pass pulmonary retention of sufentanil at three different background blood concentrations of the opioid 50–55

BOEY, S. K. and CARRIE, L. E. S. Removal of lumbar extradural catheters, (*C*) 722

BOFFA, G. M. Impressions of British anaesthesia, (*C*) 111

BOLCINA, A. *see* WATKINS, S., (*ARS*) 478P

BOLDT, J. Heparin and platelet function, (*C*) 491

BOLDT, J., SCHINDLER, E., KNOTHE, Ch., WELTERS, I., STERTMANN, W. A. and HEMPELMANN, G. Endothelial-related coagulation in cardiac surgery 174–179

BOLIBAR, I. *see* PEREZ, A. 250–256

BONKE, B. *see* MILLAR, K. 180–183

BOOKER, P. D., EVANS, C. and FRANKS, R. Comparison of the haemodynamic effects of dopamine and dobutamine in young children undergoing cardiac surgery 419–423

BOOM, S. J. *see* DAVIDSON, J. A. H. 315–318

BORGEAT, A., SAIAH, M., RIFAT, K. and SUTER, P. M. Effects of sub-hypnotic doses of propofol on the side effects of intrathecal morphine, (*C*) 243

BORGEAT, A. *see* FUCHS-BUDER, T. 405–409

BÖSENBERG, A. T. and KIMBLE, F. W. Infraorbital nerve block in neonates for cleft lip repair: anatomical study and clinical application 506–508

BOUNTRA, C. *see* MUNGLANI, R., (*ARS*) 482P

BOURLIER, R. A. and BIRNBACH, D. J. Hyperventilation-induced unconsciousness during labour, (*C*) 629
BOVILL, J. G. *see* BOER, F. 50–55
BOWLER, G. M. R. *see* DOYLE, E., (*C*) 241
BOYD, A. H., EASTWOOD, N. B., PARKER, C. J. R. and HUNTER, J. M. Pharmacodynamics of the 1R *cis*-1′R *cis* isomer of atracurium (51W89) in health and chronic renal failure 400–404
BRAIN, A. I. J., BRIMACOMBE, J. R., BERRY, A. M. and VERGHESE, C. Reflux during positive pressure ventilation via the laryngeal mask airway? (*C*) 489–490
BRANDNER, B. *see* COLLIS, R. 396–399
BRICARD, H. *see* LAROCHE, D. 430–437
BRIGHOUSE, D. *see* BURDEN, R. J., (*C*) 630
BRIMACOMBE, J. R. *see* BRAIN, A. I. J., (*C*) 489–490
BROCKMEYER, D. M. and KENDIG, J. J. Selective effects of ketamine on amino acid-mediated pathways in neonatal rat spinal cord 79–84
BROMLEY, L. M. *see* COLLIS, R. 396–399
BROOME, I. J. *see* NIMMO, S. M. 31–34
BROOMHEAD, C. J., DILKES, M. G. and MONKS, P. S. Use of the Hayek oscillator in a case of failed fibreoptic intubation 720–721
BROTONS, C. *see* PEREZ, A. 250–256
BUCHANAN, C. C. R., VAUGHAN, R. S. and VERDI, I. Right upper lobectomy in a patient with an iatrogenic tracheo–oesophageal fistula after laryngectomy 461–463
BUGGY, D. Bupivacaine-free analgesia for the first stage of labour with clonidine–fentanyl, (*ARS*) 481P
BUGGY, D., HUGHES, N. and GARDINER, J. Posterior column sensory impairment during ambulatory extradural analgesia in labour, (*C*) 350
BUNTING, H. F. *see* LOAN, P. B. 330–332
BURDEN, R. J., JANKE, E. L. and BRIGHOUSE, D. Hyperventilation-induced unconsciousness during labour, (*C*) 630
BURM, A. G. L. *see* BOER, F. 50–55
BURRIN, J. M. *see* BARKER, J. P. 500–505

CALLAGHAN, L. C. *see* EDWARDS, N. D. 368–372
CAMPBELL, I. T. *see* BARRIE, J. R., (*ARS*) 485P
CAMPBELL, N. *see* BARROWCLIFFE, M., (*C*) 112–113
CANTLEY, E. M. *see* GYERMEK, L. 410–414
CANTRAINE, F. R. *see* BAURAIN, M. J. 12–15
CARLI, F. *see* PILKINGTON, S. 638–642
CARRIE, L. E. S. *see* BOEY, S. K., (*C*) 722
CHAMBERS, F. A. Circumcision analgesia, (*C*) 627; Methoxamine and blood loss in prostatic surgery, (*C*) 628; Methoxamine and blood loss in prostatic surgery, (*C*) 628
CHEN, B.-J. *see* KWAN, W.-F., (*C*) 347
CHEN, S. H. *see* CHEN, T. L. 558–562
CHEN, T. L., UENG, T. H., CHEN, S. H., LEE, P. H., FAN, S. Z. and LIU, C. C. Human cytochrome P450 mono-oxygenase system is suppressed by propofol 558–562
CHRUBASIK, J. *see* CHRUBASIK, S., (*E*) 121–122
CHRUBASIK, S. and CHRUBASIK, J. Selection of the optimum opioid for extradural administration in the treatment of postoperative pain, (*E*) 121–122
CLYBURN, P. and ROSEN, M. Accidental oesophageal intubation, (*C*) 242–243
COE, A. J. Haemodynamic effects of subarachnoid block in the elderly, (*C*) 244
COLLIS, R., BRANDNER, B., BROMLEY, L. M. and WOOLF, C. J. Is there any clinical advantage of increasing the pre-emptive dose of morphine or combining pre-incisional with postoperative morphine administration? 396–399
COLLIS, R. E. *see* HARDING, S. A., (*C*) 351; (*C*) 352
COLUMB, M. O. *see* STRATFORD, N., (*ARS*) 475P
CONGOST, L. *see* PEREZ, A. 250–256
CONNOLLY, F. M., MIRAKHUR, R. K., LOAN, P. B., MCCOY, E. and MORROW, B. C. Time course of action of Org 9487 with or without reversal: comparison with suxamethonium, (*ARS*) 473P
CONNOLLY, F. M., MIRAKHUR, R. K., LOAN, P. B., MCCOY, E. P., SYMINGTON, M. and KUMAR, N. Antagonism of mivacurium block with edrophonium from various degrees of spontaneous recovery 229–230
CONWAY, F. *see* CRITCHLEY, L. A. H. 373–378
COOPER, D. W., RYALL, D. M. and DESIRA, W. R. Extradural fentanyl for postoperative analgesia: predominant spinal or systemic action? 184–187
COOPER, G. M. and HUTTON, P. Anaesthesia and the undergraduate medical curriculum, (*E*) 3–5
CORDELL, A. R. *see* PAUCA, A. L. 287–292
CORMACK, R. S. *see* PILKINGTON, S. 638–642
COTÉ, C. J. Effects of oral nizatidine on preoperative gastric fluid pH and volume in children, (*C*) 491
COTTER, S. M. and WHITE, D. C. Fresh gas flow rate and enflurane consumption, (*C*) 627
COWLEY, H. C., MENON, D. K., JONES, J. G. and WEBSTER, N. R. Plasma antioxidant potential in patients with severe sepsis: comparison of survivors and non-survivors, (*ARS*) 476P
COX, D. J. A. *see* WHITTA, R. K. S. 464–468
CRITCHLEY, L. A. H. and SHORT, T. Haemodynamic effects of subarachnoid block in the elderly, (*C*) 349
CRITCHLEY, L. A. H., STUART, J. C., CONWAY, F. and SHORT, T. G. Hypotension during subarachnoid anaesthesia: haemodynamic effects of ephedrine 373–378
CRITCHLEY, L. A. H. *see* SHORT, T., (*C*) 244
CRONIN, A., KEIFER, J. C., BAGHDOYAN, H. A. and LYDIC, R. Opioid inhibition of rapid eye movement sleep by a specific mu receptor agonist 188–192
CROWDER, J. G. *see* ALLISON, J. M. 85–88
CULLEN, P. M. *see* MOFFAT, A. 145–148
CULLEN, T. *see* SERPELL, M. G., (*ARS*) 480–481P
CZOSNYKA, M. *see* GUPTA, A. K., (*ARS*) 487P

DAHAN, A., VAN DEN ELSEN, M. J. L. J., BERKENBOSCH, A., DEGOEDE, J., OLIEVIER, I. C. W. and VAN KLEEF, J. W. Halothane affects ventilatory afterdischarge in humans 544–548
DAKIN, M. J. *see* PILKINGTON, S. 638–642
DALE, M. *see* FOSTER, P. N., (*ARS*) 477P
DAVIDSON, J. A. H., BOOM, S. J., PEARSALL, F. J., ZHANG, P. and RAMSAY, G. Comparison of the effects of four i.v. anaesthetic agents on polymorphonuclear leucocyte function 315–318
DAVIES, M. J. *see* STRATFORD, N., (*ARS*) 475P
DAWSON, P. J. *see* PETRING, O. U. 257–260
DE WITT, K. A. *see* PILKINGTON, S. 638–642
DEEHAN, S. C. *see* KELLY, K. P., (*C*) 630
DEGOEDE, J. *see* DAHAN, A. 544–548
DE LEON, G. *see* TORDA, T. A. 35–40
DELILKAN, A. E. Prediction of difficult tracheal intubation, (*C*) 243
DENJEAN, A. *see* MERCIER, F. J. 301–305
DERNOVOI, B. S. *see* BAURAIN, M. J. 12–15
DESIRA, W. R. *see* COOPER, D. W. 184–187
D'HONNEUR, G. *see* MERLE, J. C. 333–334
DILKES, M. G. *see* BROOMHEAD, C. J. 720–721
DOLISI, C. *see* RAUCOULES-AIMÉ, M. 231–233
DONNAN, G. *see* KITCHING, A., (*C*) 111–112
DORÉ, C. J. *see* PILKINGTON, S. 638–642
DOWNIE, R. S., (editor) *The Healing Arts. An Oxford Illustrated Anthology*, (*R*) 726
DOYLE, E. and BOWLER, G. M. R. Multimodal analgesia before thoracic surgery, (*C*) 241
DOYLE, E. and SPENCE, A. A. Cannabis as a medicine? (*E*) 359–361
DOYLE, E. I. *see* MORTON, N. S., (*R*) 633
DRUMMOND, G. B. Effects of extradural sufentanil and morphine on ventilation, (*C*) 492–493
DRUMMOND, G. B. and NIMMO, A. F. Thoracoabdominal mechanics and respiration after abdominal surgery, (*ARS*) 486P
DRUMMOND, G. B. *see* FOO, I. T. 134–140; SPENS, H. J., (*ARS*) 472P; SUTHERLAND, R. W., (*ARS*) 487–488P
DUBOIS, F. *see* LAROCHE, D. 430–437
DUBUS, L. *see* LAROCHE, D. 430–437
DULY, E. B. *see* LUNEY, S. R., (*ARS*) 482–483P
DUTTA, D. and HARDY, P. A. J. Intrabronchial injection, an unusual complication of interpleural analgesia 98–99
DUVALDESTIN, P. *see* MERLE, J. C. 333–334; SLAVOV, V. 709–711
DWYER, R., FEE, J. P. H. and MOORE, J. Uptake of halothane and isoflurane by mother and baby during Caesarean section 379–383
DYER, R. A., LLEWELLYN, R. L. and JAMES, M. F. M. Total i.v. anaesthesia with propofol and the laryngeal mask for orthopaedic surgery 123–128
DZWONCZYK, R. *see* ALLARD, J. 619–626

EASTWOOD, N. B. *see* BOYD, A. H. 400–404
EDWARDS, C. *see* MCSWINEY, M., (*C*) 348
EDWARDS, N. D., CALLAGHAN, L. C., WHITE, T. and REILLY, C. S. Perioperative myocardial ischaemia in patients undergoing transurethral surgery: a pilot study comparing general with spinal anaesthesia 368–372
EGGERS, K. A. and POWER, I. Tramadol, (*E*) 247–249
ELEFTHERIADIS, S. *see* KLOTZ, K.-F. 655–660
ELHAKIM, M. and NAFIE, M. I.v. tenoxicam for analgesia during Caesarean section 643–646
ELLIOTT, P. *see* LOAN, P. B. 330–332

El Mikatti, N., Wilson, A., Pollard, B. J. and Healy, T. E. J. Pulmonary function and head lift during spontaneous recovery from pipecuronium neuromuscular block 16–19
van den Elsen, M. J. L. J. *see* Dahan, A. 544–548
Eng, C. C. *see* Matta, B. F. 296–300
Engbers, F. H. M. *see* Boer, F. 50–55
England, A. J., Richards, K., Redai, I., Wu, X. and Feldman, S. A. Influence of cold on the recovery of vecuronium and decamethonium in humans, (*ARS*) 473P
England, A. J. *see* Rédai, I., (*ARS*) 474P; Watkins, S., (*ARS*) 478P
Evans, C. *see* Booker, P. D. 419–423

Fan, S. Z. *see* Chen, T. L. 558–562
Fassoulaki, A. *see* Sarantopoulos, C. 104–106
Fee, J. P. H. *see* Dwyer, R. 379–383; Luney, S. R., (*ARS*) 482–483P; Lyons, J. D. M., (*ARS*) 483–484P
Feigenwinter, P. *see* Zbinden, A. M. 66–72
Feldman, S. A. *see* England, A. J., (*ARS*) 473P; Rédai, I., (*ARS*) 474P; Watkins, S., (*ARS*) 478P
Feng, J. and Kendig, J. J. Selective effects of alfentanil on nociceptive-related neurotransmission in neonatal rat spinal cord 691–696
Fernando, R. and Price, C. M. Posterior column sensory impairment during ambulatory extradural analgesia in labour, (*C*) 349–350
Ferreira, J. F. *see* Fleyfel, M., (*C*) 114
Fiddian-Green, R. G. Gastric intramucosal pH, tissue oxygenation and acid–base balance 591–606
Fletcher, R. In dead-space studies, capnograph and blood-gas analyser should be cross-calibrated with the same gas, (*ARS*) 485–486P
Fleyfel, M. and Ferreira, J. F. Echocardiography and chest trauma, (*C*) 114
Flory, P. *see* Thomas, V. 271–276
Flynn, P. J. *see* Goldhill, D. R., (*R*) 116
Foëx, P. *see* Muñoz, H. R., (*ARS*) 479P
Foo, I. T., Martin, S. E., Lee, R. J., Drummond, G. B. and Warren, P. M. Interaction of the effects of domperidone and sub-anaesthetic concentrations of isoflurane on the immediate and sustained hypoxic ventilatory response in humans 134–140
Forrest, F. C. *see* Johnson, R. W., (*R*) 116–117
Foster, P. N., Stickle, B. R., Dale, M. and Laurence, A. S. Akathisia after low-dose droperidol, (*ARS*) 477P
Fox, M. H. and Hunt, P. C. W. Prolonged neuromuscular block associated with mivacurium 237–238
Franci, J. *see* Perez, A. 250–256
Franks, R. *see* Booker, P. D. 419–423
Fredman, B. *see* Olsfanger, D. 141–144
Freeman, J. W. *see* Russell, S. H. 415–418
Fuchs-Buder, T., Wilder-Smith, O. H. G., Borgeat, A. and Tassonyi, E. Interaction of magnesium sulphate with vecuronium-induced neuromuscular block 405–409
Fujita, S. *see* Kanaya, N. 164–167; 563–568
Fukuda, H. *see* Hirabayashi, Y. 41–45; 384–386
Fumagalli, P., Lusenti, F., Martini, C. and Massei, R. Retrograde cannulation of the jugular vein: erroneous positioning of the catheter in the subarachnoid space 345–346

Galletly, D. C. and McHugh, G. J. Posture and autonomic cardiac control, (*C*) 629
Gardiner, J. *see* Buggy, D., (*C*) 350
Garrard, C. S. *see* Howell, S. J. 168–173
Gastaud, P. *see* Raucoules-Aimé, M. 231–233
Gauci, C. A. *see* Wedley, J. R., (*R*) 633
Gavaghan, D. *see* Howell, S. J. 168–173
Gaylard, D. G. *see* Swales, H. A., (*C*) 348
Gee, K. W. *see* Wang, M. D. 553–557
Gérard, J.-L. *see* Laroche, D. 430–437
Germon, T. J., Kane, N. M., Manara, A. R. and Nelson, R. J. Near-infrared spectroscopy in adults, (*C*) 353–354
Ghosh, S. *see* Pickett, J. A., (*C*) 108–109
Gielen, M. J. *see* Wolff, A. P. 458–460
Gilly, H. and Baum, M. Nitric oxide delivery system, (*C*) 630–631
Glen, J. B. *see* Sear, J. W. 362–367
Goarin, J.-P. *see* Riou, B. 424–429
Goetz, A. E. *see* Groh, J. 209–216
Goldhill, D. R. and Flynn, P. J., (editors) *Balliere's Clinical Anaesthesiology, vol. 8, No. 2. Muscle Relaxants, (R)* 116
Goldhill, D. R. *see* Tarling, M. M., (*ARS*) 476–477P
Gomez, A., Bellido, I. and Sanchez de la Cuesta, F. Atropine and glycopyrronium show similar binding patterns to M_2 (cardiac) and M_3 (submandibular gland) muscarinic receptor subtypes in the rat 549–552
Goodchild, C. *see* Tsutsui, T. 686–690
Goodie, D. B. and Philip, J. H. Viscosities of commonly infused substances, (*C*) 491–492
Goodman, N. W. Bimodality of expiratory time in patients anaesthetized with propofol 129–133; Spinal anaesthesia and aspirin, (*C*) 355
Gordh, T. *see* Kristensen, J. D. 193–200
Gower, S. N. Heparin and platelet function, (*C*) 490–491
Grant, I. S. *see* Andrews, P. J. D., (*ARS*) 480P
Grant, Z. S. *see* Kelly, K. P., (*C*) 630
Green, D. W. *see* Sockalingam, I. 234–236
Gregory, L. *see* Kong, C. S. 201–208
Gregory, R. S. *see* Allison, J. M. 85–88
Griffin, R. P. and Reynolds, F. Extradural anaesthesia for Caesarean section: a double-blind comparison of 0.5% ropivacaine with 0.5% bupivacaine 512–516
Grimaud, D. *see* Raucoules-Aimé, M. 231–233
Groh, J., Kuhnle, G. E. H., Ney, L., Sckell, A. and Goetz, A. E. Effects of isoflurane on regional pulmonary blood flow during one-lung ventilation 209–216
Gupta, A. K., Bacon, P. J., Kirkpatrick, P., Jones, J. G. and Menon, D. K. Effect of carotid endarterectomy on plasma antioxidant potential and free radical production, (*ARS*) 475–476P
Gupta, A. K., Smielewski, P., Czosnyka, M., Kirkpatrick, P., Jones, J. G. and Menon, D. K. Cerebrovascular effects of arterial desaturation in volunteers, (*ARS*) 487P
Gyermek, L., Cantley, E. M. and Lee, C. Antagonism of pancuronium- and pipecuronium-induced neuromuscular block 410–414

Hacisalihzade, S. *see* Zbinden, A. M. 66–72
Hahn, C. E. W. *see* Palayiwa, E. 100–103
Hak, A. *see* Boer, F. 50–55
Hall, G. M. *see* Barker, J. P. 500–505
Halldin, M. *see* Kristensen, J. D. 193–200
Hann, P. *see* Torda, T. A. 35–40
Harding, S. A., Collis, R. E. and Morgan, B. M. Meningitis after combined spinal–extradural anaesthesia in obstetrics, (*C*) 351
Harding, S. A., Collis, R. E. and Morgan, B. M. Meningitis after combined spinal–extradural anaesthesia in obstetrics, (*C*) 352
Hardy, P. A. J. *see* Dutta, D. 98–99
Haring, H. P. *see* Hörmann, Ch. 616–618
Harris, P. H. P. Neuromuscular block and tourniquets, (*C*) 355
Harrisson, S. *see* Munglani, R., (*ARS*) 482P
Hartikainen, K., Rorarius, M., Mäkelä, K., Peräkylä, J., Varila, E. and Jäntti, V. Visually evoked bursts during isoflurane anaesthesia 681–685
Hartvig, P. *see* Kristensen, J. D. 193–200
Hasselström, L. *see* Wolff, A. P. 458–460
Hata, T. *see* Ishibe, Y., (*C*) 108–109
Hayashi, T. *see* Ishibe, Y., (*C*) 108–109
Healy, T. E. J. *see* El Mikatti, N. 16–19
Heath, M. *see* Thomas, V. 271–276
Heath, M. L. Departmental guides for anaesthetic emergencies, (*ARS*) 484P
Hempelmann, G. *see* Boldt, J. 174–179
Henderson, D. J. and Jones, G. Effect of i.v. diamorphine on the regression of spinal block 610–611
Hennart, D. A. *see* Baurain, M. J. 12–15
Henry, A. F. *see* Weinger, M. B. 455–457
Hett, D. A., Scott, R. C. and Risdall, J. E. Lansoprazole in the prophylaxis of acid aspiration during elective surgery 614–615
Hett, D. A. *see* Pilkington, S. N. 717–719
Higgs, A. *see* Williams, P. I., (*C*) 112
Hiippala, S., Strid, L., Wennerstrand, M., Arvela, V., Mäntylä, S., Ylinen, J. and Niemelä, H. Tranexamic acid (Cyklokapron) reduces perioperative blood loss associated with total knee arthroplasty 534–537
Hill, J. *see* Jackson, S. A., (*ARS*) 477P
Hindle, A. T. and Hopkins, P. M. Effects of single doses of 5-hydroxytryptamine on the rat hemidiaphragm preparation, (*ARS*) 483P
Hirabayashi, Y., Shimizu, R., Saitoh, K. and Fukuda, H. Spread of subarachnoid hyperbaric amethocaine in adolescents 41–45; Spread of subarachnoid hyperbaric amethocaine in pregnant women 384–386
Hoka, S., Kawasaki, T., Okamoto, H., Okuyama, T. and Takahashi, S. Effects of phenylephrine and prostaglandin E_1 on ventriculo-arterial matching during halothane anaesthesia 438–442

D'HOLLANDER, A. A. *see* BAURAIN, M. J. 12–15

HONKAVAARA, P., SAARNIVAARA, L. and KLEMOLA, U.-M. Effect of transdermal hyoscine on nausea and vomiting after surgical correction of prominent ears under general anaesthesia 647–650

HOPE, D. A., JENKINS, B. J., WILLIS, N., MADDOCK, H. and MAPLESON, W. W. Non-invasive estimation of venous admixture: validation of a new formula 538–543

HOPKINS, P. M. *see* HINDLE, A. T., (*ARS*) 483P

HÖRMANN, Ch., SCHMIDAUER, Ch., HARING, H. P., SCHALOW, S., SEIWALD, M. and BENZER, A. Hyperventilation reverses the nitrous oxide-induced increase in cerebral blood flow velocity in human volunteers 616–618

HORN, A. *see* KOSCIELNIAK-NIELSEN, Z. J. 387–391

HOUNIE, A. *see* PEREZ, A. 250–256

HOWELL, S. J., WANIGASEKERA, V., YOUNG, J. D., GAVAGHAN, D., SEAR, J. W. and GARRARD, C. S. Effects of propofol and thiopentone, and benzodiazepine premedication on heart rate variability measured by spectral analysis 168–173

HOWELLS, H. Methoxamine and blood loss in prostatic surgery, (*C*) 628

HUANG, Y.-G., WONG, K. C., YIP, W.-H., MCJAMES, S. W. and PACE, N. L. Cardiovascular responses to graded doses of three catecholamines during lactic and hydrochloric acidosis in dogs 583–590

HUGGINS, J. Post-reperfusion coagulopathy, (*C*) 629

HUGHES, N. *see* BUGGY, D., (*C*) 350

HUHTALA, J. *see* TARKKILA, P. 328–329

HUNT, P. C. W. *see* FOX, M. H. 237–238

HUNT, S. P. *see* MUNGLANI, R., (*ARS*) 482P

HUNTER, J. M. *see* BOYD, A. H. 400–404

HUSS, B. K. *see* PAXTON, L. D. 612–613

HUTTON, P. *see* COOPER, G. M., (*E*) 3–5

HYNYNEN, M., SILTANEN, T., SAHLMAN, A., POHJASVAARA, T., MÜCK, W. and KASTE, M. Continuous infusion of nimodipine during coronary artery surgery: haemodynamic and pharmacokinetic study 526–533

IKEDA, K. *see* BITO, H. 56–59; 667–669

INADA, T., KAWACHI, S. and KURODA, M. Tracheal tube cuff pressure during cardiac surgery using cardiopulmonary bypass 283–286

INOUE, T. *see* WAJIMA, Z. 392–395

IPELAND, M. *see* KENNEDY, N. J., (*C*) 114

ISHIBE, Y., SATO, T., HAYASHI, T., KATO, N. and HATA, T. Effective absorption of nitrogen dioxide with soda lime, (*C*) 108–109

ISHII, N. *see* NISHIDA, T. 95–97

JACKSON, S. A., LAURENCE, A. S. and HILL, J. Is post-laparoscopy pain related to residual carbon dioxide volume? (*ARS*) 477P

JAMES, M. F. M. and NEIL, G. Effect of magnesium on coagulation as measured by thrombelastography 92–94

JAMES, M. F. M. *see* DYER, R. A. 123–128

JANKE, E. L. *see* BURDEN, R. J., (*C*) 630

JÄNTTI, V. *see* HARTIKAINEN, K. 681–685

JAYASURIYA, J. P. Events, incidents and critical incidents, (*C*) 631

JEDEIKIN, R. *see* OLSFANGER, D. 141–144

JELEN-ESSELBORN, S. *see* BLOBNER, M. 452–454

JELICIC, M. *see* MILLAR, K. 180–183

JENKINS, B. J. *see* HOPE, D. A. 538–543

JENKINS, J. R. Inhaled nitric oxide in acute respiratory failure, (*C*) 354

JOHNSON, R. W. and FORREST, F. C. *Local and General Anaesthesia for Ophthalmic Surgery*, (*R*) 116–117

JONES, D. J. *see* PETRING, O. U. 257–260

JONES, G. *see* HENDERSON, D. J. 610–611

JONES, H. M. and NIXON, S. J. Postoperative extradural analgesia, (*C*) 354

JONES, J. A. Red blood cell substitutes: current status 697–703

JONES, J. G. *see* COWLEY, H. C., (*ARS*) 476P; GUPTA, A. K., (*ARS*) 475–476P; (*ARS*) 487P; KELLOW, N. H., (*ARS*) 474–475P; MUNGLANI, R., (*ARS*) 482P; TSUTSUI, T. 686–690

JORM, C. M. and STAMFORD, J. A. Actions of morphine on noradrenaline efflux in the rat locus coeruleus are mediated via both opioid and α_2 adrenoceptor mechanisms 73–78

JOZWIAK, H. *see* MCCRAE, A. F. 261–265

JURCZYK, M. *see* MERLE, J. C. 333–334

KADOTANI, H. *see* WAJIMA, Z. 392–395

KAHN, R. *see* KONG, C. S. 201–208

KALFON, P. *see* RIOU, B. 424–429

KANAYA, N., KOBAYASHI, I., NAKAYAMA, M., FUJITA, S. and NAMIKI, A. ATP sparing effect of isoflurane during ischaemia and reperfusion of the canine heart 563–568

KANAYA, N., NAKAYAMA, M., FUJITA, S. and NAMIKI, A. Comparison of the effects of sevoflurane, isoflurane and halothane on indocyanine green clearance 164–167

KANE, N. M. *see* GERMON, T. J., (*C*) 353–354

KANTO, J. *see* PÄLVE, H. 704–705

KARALLIEDDE, L. Animal toxins 319–327

KARDOS, A., RUDAS, L. and SIMON, J. Posture and autonomic cardiac control, (*C*) 628–629

KARLSTEN, R. *see* KRISTENSEN, J. D. 193–200

KASHIMOTO, S. *see* OGUCHI, T. 569–575

KASTE, M. *see* HYNYNEN, M. 526–533

KATO, N. *see* ISHIBE, Y., (*C*) 108–109

KATZ, J. *see* KAVANAGH, B., (*C*) 241–242

KAVANAGH, B., KATZ, J. and SANDLER, A. Multimodal analgesia before thoracic surgery, (*C*) 241–242

KAWACHI, S. *see* INADA, T. 283–286

KAWAGUCHI, T. *see* YAGI, M. 670–673

KAWASAKI, T. *see* HOKA, S. 438–442

KEHLET, H. *see* STAUSHOLM, K. 607–609

KEIFER, J. C. *see* CRONIN, A. 188–192

KELLOW, N. H., BACON, P. J., MENON, D. K. and JONES, J. G. Free radical generation in pre-eclamptic and normotensive pregnancies, (*ARS*) 474–475P

KELLY, K. *see* ANDREWS, P. J. D., (*ARS*) 480P

KELLY, K. P., DEEHAN, S. C. and GRANT, Z. S. Nitric oxide delivery system, (*C*) 630

KENDIG, J. J. *see* BROCKMEYER, D. M. 79–84; FENG, J. 691–696

KENNEDY, N. J., IRELAND, M. and MCCONAGHY, P. Echocardiography and chest trauma, (*C*) 114

KERKKAMP, H. E. *see* WOLFF, A. P. 458–460

KEY, A. *see* RAPHAEL, J. H., (*ARS*) 484–485P

KEYKHAH, M. M. *see* SHI, Y. 712–713

KHALIL, M. *see* SLAVOV, V. 709–711

KIM, C. *see* WAJIMA, Z. 392–395

KIMBLE, F. W. *see* BÖSENBERG, A. T. 506–508

KINOUCHI, K. *see* NISHIDA, T. 95–97

KIRKPATRICK, P. *see* GUPTA, A. K., (*ARS*) 475–476P; (*ARS*) 487P

KIRVELÄ, M., SCHEININ, M. and LINDGREN, L. Haemodynamic and catecholamine responses to induction of anaesthesia and tracheal intubation in diabetic and non-diabetic uraemic patients 60–65

KIRVELÄ, O. *see* PÄLVE, H. 704–705

KISHIMOTO, H. *see* NISHIDA, T. 95–97

KITCHING, A., LOVE, J. and DONNAN, G. Mishap or negligence, (*C*) 111–112

VAN KLEEF, J. W. *see* DAHAN, A. 544–548

KLEMOLA, U.-M. *see* HONKAVAARA, P. 647–650

KLING, M. *see* BLOBNER, M. 452–454

KLINGSIEK, S. *see* KLOTZ, K.-F. 655–660

KLOTZ, K.-F., KLINGSIEK, S., SINGER, M., WENK, H., ELEFTHERIADIS, S., KUPPE, H. and SCHMUCKER, P. Continuous measurement of cardiac output during aortic cross-clamping by the oesophageal Doppler monitor ODM 1 655–660

KNOTHE, CH. *see* BOLDT, J. 174–179

KOBAYASHI, I. *see* KANAYA, N. 563–568

KOBAYASHI, N. *see* WAJIMA, Z. 392–395

KOCHS, E. *see* BLOBNER, M. 452–454

KON, N. D. *see* PAUCA, A. L. 287–292

KONG, C. S., RYDER, I. G., KAHN, R., GREGORY, L. and MACKENZIE, C. F. *In vitro* oxyhaemoglobin saturation measurements in haemoglobin solutions using fibreoptic pulmonary artery catheters 201–208

KOREN, G., (editor) *Eutectic Mixture of Local Anesthetics (EMLA). A Breakthrough in Skin Anesthesia*, (*R*) 726

KOSCIELNIAK-NIELSEN, Z. J., HORN, A. and ROTBØLL NIELSEN, P. Effect of arm position on the effectiveness of perivascular axillary nerve block 387–391

KRISTENSEN, J. D., HARTVIG, P., KARLSTEN, R., GORDH, T. and HALLDIN, M. CSF and plasma pharmacokinetics of the NMDA receptor antagonist CPP after intrathecal, extradural and i.v. administration in anaesthetized pigs 193–200

KUHNLE, G. E. H. *see* GROH, J. 209–216

KUMAR, C. M. Neuromuscular block and tourniquets, (*C*) 492

KUMAR, N. *see* CONNOLLY, F. M. 229–230

KUMAZAWA, T. *see* OGUCHI, T. 569–575

KUPPE, H. *see* KLOTZ, K.-F. 655–660

KURODA, M. *see* INADA, T. 283–286

KWAN, W.-F., CHEN, B.-J. and LIAO, K. T. Rocuronium for Caesarean section, (*C*) 347

LACK, J. A. Anaesthesia datasets, (*C*) 239

LAM, A. *see* MATTA, B., (*ARS*) 486–487P
LAM, A. M. *see* MATTA, B. F. 159–163; 296–300
LAMB, F. J. Haemodynamic effects of subarachnoid block in the elderly, (*C*) 349
LAMBERG, T. S. *see* ROSENBERG, P. H. 89–91
LAMBERT, D. G. and APPADU, B. L. Muscarinic receptor subtypes: do they have a place in clinical anaesthesia? (*E*) 497–499
LAMBERT, D. G., SMITH, G. and SIKAND, K. S. Is ketamine a voltage-sensitive Ca^{2+} channel blocker? (*ARS*) 483P
LANGFORD, R. M. and BAKHSHI, K. N. Acid aspiration syndrome in obstetrics, (*C*) 239–240
LANGTON, J. A. *see* RAPHAEL, J. H., (*ARS*) 484–485P
LAROCHE, D., DUBOIS, F., GÉRARD, J.-L., LEFRANÇOIS, C., ANDRÉ, B., VERGNAUD, M.-C., DUBUS, L. and BRICARD, H. Radioimmunoassay for plasma histamine: a study of false positive and false negative values 430–437
LATIMER, R. D. *see* PICKETT, J. A., (*C*) 108–109
LAUDER, G. R., MCQUILLAN, P. J. and PICKERING, R. M. Psychological adjunct to perioperative antiemesis 266–270
LAUDER, G. R. *see* LUNN, D. V. 509–511
LAURENCE, A. S. *see* FOSTER, P. N., (*ARS*) 477P; JACKSON, S. A., (*ARS*) 477P
LEADBEATER, M. *see* PETRING, O. U. 257–260
LEE, C. *see* GYERMEK, L. 410–414
LEE, P. H. *see* CHEN, T. L. 558–562
LEE, R. J. *see* FOO, I. T. 134–140
LEFRANÇOIS, C. *see* LAROCHE, D. 430–437
LEVISON, A. *see* STEDMON, J., (*ARS*) 478P
LEWIS, I. *see* BARROWCLIFFE, M., (*C*) 112–113
LIAO, K. T. *see* KWAN, W.-F., (*C*) 347
LIBRERI, F. C. *see* PETRING, O. U. 257–260
LINDGREN, L. *see* KIRVELÄ, M. 60–65
LIU, C. C. *see* CHEN, T. L. 558–562
LLEWELLYN, R. L. *see* DYER, R. A. 123–128
LOAN, P. B., ELLIOTT, P., MIRAKHUR, R. K., BUNTING, H. F., BHANUMURTHY, S. and MCMURRAY, T. J. Comparison of the haemodynamic effects of mivacurium and atracurium during fentanyl anaesthesia 330–332
LOAN, P. B. *see* CONNOLLY, F. M. 229–230; (*ARS*) 473P
LOCK, S. *see* WALTAN, J., (*R*) 245
LOGAN, M. Fresh gas flow rate and enflurane consumption, (*C*) 627
LOUGHLIN, V. *see* PAXTON, L. D. 612–613
LOVE, J. *see* KITCHING, A., (*C*) 111–112
LUNEY, S. R., MURRAY, J. M., FEE, J. P. H., DULY, E. B. and TRINICK, T. R. Effect of cimetidine on isoflurane metabolism during prolonged anaesthesia, (*ARS*) 482–483P
LUNN, D. V., LAUDER, G. R., WILLIAMS, A. R., PICKERING, R. M. and MCQUILLAN, P. J. Low-dose droperidol reduces postoperative vomiting in paediatric day surgery 509–511
LUPPA, P. *see* BLOBNER, M. 452–454
LUSENTI, F. *see* FUMAGALLI, P. 345–346
LYDIC, R. *see* CRONIN, A. 188–192
LYONS, J. D. M., MURRAY, J. M. and FEE, J. P. H. Hepatic glutathione S-transferase concentrations during and after brief anaesthesia in children, (*ARS*) 483–484P

MCCANN, N. *see* NIMMO, S. M. 31–34
MCCLURE, J. H. *see* MCCRAE, A. F. 261–265
MCCOLLUM, C. *see* PICTON, A. J., (*C*) 352–353
MCCONAGHY, P. *see* KENNEDY, N. J., (*C*) 114
MCCOY, E. *see* CONNOLLY, F. M., (*ARS*) 473P
MCCOY, E. P. *see* CONNOLLY, F. M. 229–230
MCCRAE, A. F., JOZWIAK, H. and MCCLURE, J. H. Comparison of ropivacaine and bupivacaine in extradural analgesia for the relief of pain in labour 261–265
MACDONALD, A. G. Fires and explosions, (*C*) 110–111
MCDONALD, J. S. *see* ALLARD, J. 619–626
MACDONALD, R. Spinal anaesthesia and aspirin, (*C*) 355
MCJAMES, S. W. *see* HUANG, Y.-G. 583–590
MACKENZIE, C. F. *see* KONG, C. S. 201–208
MCKINNON, R. P. and WILDSMITH, J. A. W. Histaminoid reactions in anaesthesia 217–228
MCMURRAY, T. J. *see* LOAN, P. B. 330–332
MCQUILLAN, P. J. *see* LAUDER, G. R. 266–270; LUNN, D. V. 509–511
MCSWINEY, M., EDWARDS, C. and WILKINS, A. Rocuronium for Caesarean section, (*C*) 348
MADDER, H. *see* MYLES, P. S. 340–342
MADDOCK, H. *see* HOPE, D. A. 538–543
MADEJ, T. H. *see* WHEATLEY, R. G., (*C*) 355
MAEKAWA, T. *see* TSUTSUI, T. 686–690
MAHAJAN, R. P. *see* SINGH, P. 714–716
MAHMOOD, N. *see* PICKETT, J. A., (*C*) 108–109
MÄKELÄ, K. *see* HARTIKAINEN, K. 681–685

MALAGON, I. Comparison of sevoflurane with halothane: statistically valid? (*C*) 724
MALECK, W. and PETROIANU, G. Accidental oesophageal intubation, (*C*) 242
MALLETT, S. V. *see* WHITTA, R. K. S. 464–468
MANARA, A. R. *see* GERMON, T. J., (*C*) 353–354
MANN, R. *see* BLOBNER, M. 452–454
MÄNTYLÄ, S. *see* HIIPPALA, S. 534–537
MAPLESON, W. W. *see* HOPE, D. A. 538–543
MARINO, P. *see* REINSEL, R. A. 674–680
MARSCH, S. C. U. *see* MUÑOZ, H. R., (*ARS*) 479P
MARSHALL, R. *see* TZABAR, Y., (*C*) 109–110
MARSHALL, S. and SERPELL, M. Comparison of two methods of ankle block for foot surgery, (*ARS*) 481P
MARSHALL, S. *see* SERPELL, M. G., (*ARS*) 480–481P
MARTIN, S. E. *see* FOO, I. T. 134–140
MARTINI, C. *see* FUMAGALLI, P. 345–346
MARTTILA, T. *see* ROSENBERG, P. H. 89–91
MASHIMO, T. *see* YAGI, M. 670–673
MASON, R. A. *Anaesthesia Databook. A Clinical Practice Compendium*, 2nd Edn, (*R*) 494
MASSEI, R. *see* FUMAGALLI, P. 345–346
MATTA, B. and LAM, A. Isoflurane and desflurane do not dilate the middle cerebral artery appreciably, (*ARS*) 486–487P
MATTA, B. F., LAM, A. M., MAYBERG, T. S., ENG, C. C. and STREBEL, S. Cerebrovascular response to carbon dioxide during sodium nitroprusside- and isoflurane-induced hypotension 296–300
MATTA, B. F., LAM, A. M., STREBEL, S. and MAYBERG, T. S. Cerebral pressure autoregulation and carbon dioxide reactivity during propofol-induced EEG suppression 159–163
MAY, A., (editor) *Epidurals for Childbirth*, (*R*) 494
MAY, A. E. Acid aspiration syndrome in obstetrics, (*C*) 240
MAYBERG, T. S. *see* MATTA, B. F. 159–163
MAYBERG, T. S. *see* MATTA, B. F. 296–300
MCHUGH, G. J. *see* GALLETLY, D. C., (*C*) 629
MEAKIN, G. *see* BARRIE, J. R., (*ARS*) 485P
MENON, D. K. *see* COWLEY, H. C., (*ARS*) 476P; GUPTA, A. K., (*ARS*) 475–476P; (*ARS*) 487P; KELLOW, N. H., (*ARS*) 474–475P
MERCIER, F. J., BENHAMOU, D. and DENJEAN, A. Lack of bronchodilator effect after administration of subanaesthetic concentration of isoflurane in mild asthmatic subjects challenged with methacholine 301–305
MERETOJA, O. A., TAIVAINEN, T. and WIRTAVUORI, K. Pharmacodynamic effects of 51W89, an isomer of atracurium, in children during halothane anaesthesia 6–11
MERETOJA, O. A. *see* TAIVAINEN, T., (*C*) 724
MERLE, J. C., JURCZYK, M., D'HONNEUR, G., RUGGIER, R. and DUVALDESTIN, P. Onset of neuromuscular block is the same if the ipsilateral or contralateral limb to the injection site is used for monitoring 333–334
MERLE, J. C. *see* SLAVOV, V. 709–711
MEURER-LABAN, M. *see* ALEXANDER, P. D., (*C*) 724–725
MEYER, P. Prevention of venous air embolism: are humans like sheep? (*C*) 723
MILLAR, K., JELICIC, M., BONKE, B. and ASBURY, A. J. Assessment of preoperative anxiety: comparison of measures in patients awaiting surgery for breast cancer 180–183
MILLER, R. D. Is 51W89 an improvement compared with atracurium? (*E*) 1–2
MILLS, G. *see* TORDA, T. A. 35–40
MIRAKHUR, R. K. *see* CONNOLLY, F. M. 229–230; (*ARS*) 473P; LOAN, P. B. 330–332; PAXTON, L. D. 612–613
MOFFAT, A. and CULLEN, P. M. Comparison of two standard techniques of general anaesthesia for day-case cataract surgery 145–148
MONKS, P. S. *see* BROOMHEAD, C. J. 720–721
MOORE, J. *see* DWYER, R. 379–383
MORGAN, B. M. *see* HARDING, S. A., (*C*) 351; (*C*) 352
MORGAN, C. *see* STEDMON, J., (*ARS*) 478P
MORGAN, E. B. *see* MYLES, P. S. 340–342
MORGAN, R. J. and POLLARD, B. J. Prediction of infusion rates of vecuronium using the bolus test dose technique 651–654
MORRIS, G. N. Removal of lumbar extradural catheters, (*C*) 722
MORRIS, L. E. Fires and explosions, (*C*) 110
MORROW, B. C. *see* CONNOLLY, F. M., (*ARS*) 473P
MORTIMER, A. J. *see* PICTON, A. J., (*C*) 352–353
MORTON, N. S. and DOYLE, E. I. *Case Presentations in Paediatric Anaesthesia and Intensive Care*, (*R*) 633
MORTON, N. S. and RAINE, P. A. M., (editors) *Paediatric Day Case Surgery*, (*R*) 356
MOSS, E. Cerebral blood flow during induced hypotension, (*E*) 635–637

MOTTRAM, S. D. *see* RAPHAEL, J. H., (*ARS*) 484–485P
MOYLE, J. T. B. *Pulse Oximetry*, (*R*) 116
MÜCK, W. *see* HYNYNEN, M. 526–533
MUNGLANI, R., HARRISSON, S., SMITH, G. D., BOUNTRA, C., BIRCH, P. J., JONES, J. G. and HUNT, S. P. Effect of different pre-emptive treatments on long-term neuropeptide expression in the dorsal root ganglia in a model of neuropathic pain, (*ARS*) 482P
MUÑOZ, H. R., MARSCH, S. C. U. and FOËX, P. Regional left ventricular diastolic function under inhalation anaesthesia in dogs, (*ARS*) 479P
MURPHY, P. G. *see* STRATFORD, N., (*ARS*) 475P
MURRAY, J. M. *see* LUNEY, S. R., (*ARS*) 482–483P; LYONS, J. D. M., (*ARS*) 483–484P
MURTY, G. E. *see* SINGH, P. 714–716
MYLES, P. S., MADDER, H. and MORGAN, E. B. Intraoperative cardiac arrest after unrecognized dynamic hyperinflation 340–342

NAFIE, M. *see* ELHAKIM, M. 643–646
NAGUIB, M., ABDULATIF, M., SELIM, M. and AL-GHAMDI, A. Dose–response studies of the interaction between mivacurium and suxamethonium 26–30
NAKAJIMA, Y. *see* WAJIMA, Z. 392–395
NAKAMURA, T. *see* OGUCHI, T. 569–575
NAKAYAMA, M. *see* KANAYA, N. 164–167; 563–568
NAMIKI, A. *see* KANAYA, N. 164–167; 563–568
NEIL, G. *see* JAMES, M. F. M. 92–94
NELSON, R. J. *see* GERMON, T. J., (*C*) 353–354
NEY, L. *see* GROH, J. 209–216
NIEMELÄ, H. *see* HIIPPALA, S. 534–537
NIMMO, A. F. *see* DRUMMOND, G. B., (*ARS*) 486P
NIMMO, S. M., MCCANN, N., BROOME, I. J. and ROBB, H. M. Effectiveness and sequelae of very low-dose suxamethonium for nasal intubation 31–34
NISHIDA, T., KINOUCHI, K., TASHIRO, C., KISHIMOTO, H. and ISHII, N. Anaesthetic management of a 656-g neonate undergoing pulmonary valvotomy 95–97
NISKANEN, J. *see* ANTTONEN, H. 306–310
NIXON, S. J. *see* JONES, H. M., (*C*) 354

VAN OBBERGH, L. J. *see* RAOOF, A. A. 46–49
O'CONNOR, B. and TOMLINSON, A. A. Evaluation of the efficacy and safety of amethocaine gel applied topically before venous cannulation in adults 706–708
O'DONNELL, C. J., BECK, D. H., TAYLOR, B. L. and SMITH, G. B. Upper limb compartment syndromes: a complication of malignant hyperthermia in a patient with ill-defined myopathy 343–344
ODURO, A. *see* PICKETT, J. A., (*C*) 108–109
OGAWA, R. *see* WAJIMA, Z. 392–395
OGUCHI, T., KASHIMOTO, S., YAMAGUCHI, T., NAKAMURA, T. and KUMAZAWA, T. Comparative effects of halothane, enflurane, isoflurane and sevoflurane on function and metabolism in the ischaemic rat heart 569–575
ÓHAISEADHA, C. Risk of aspiration with the laryngeal mask, (*C*) 239
OKABE, E. *see* YAMAGUCHI, A. 576–582
OKAMOTO, H. *see* HOKA, S. 438–442
OKUYAMA, T. *see* HOKA, S. 438–442
OLIEVIER, I. C. W. *see* DAHAN, A. 544–548
OLIN, H. *see* PÄLVE, H. 704–705
OLSFANGER, D., JEDEIKIN, R., FREDMAN, B. and SHACHOR, D. Tracheal anaesthesia for transthoracic endoscopic sympathectomy: an alternative to endobronchial anaesthesia 141–144
OYAMA, T. and SMITH, G., (editors) *Pain and Kampo: The Use of Japanese Herbal Medicine in Management of Pain*, (*R*) 356

PACE, N. L. *see* HUANG, Y.-G. 583–590
PALAYIWA, E. and HAHN, C. E. W. Overfill testing of anaesthetic vaporizers 100–103
PÄLVE, H., KIRVELÄ, O., OLIN, H., SYVÄLAHTI, E. and KANTO, J. Maximum recommended doses of lignocaine are not toxic 704–705
PARIKH, R. K., RYMASZEWSKI, L. R. and SCOTT, N. B. Prolonged postoperative analgesia for arthrolysis of the elbow joint 469–471
PARKER, C. J. R. *see* BOYD, A. H. 400–404
PARTRIDGE, B. L. *see* WEINGER, M. B. 455–457
PARVIAINEN, I., RUOKONEN, E. and TAKALA, J. Dobutamine-induced dissociation between changes in splanchnic blood flow and gastric intramucosal pH after cardiac surgery 277–282
PAUCA, A. L., KON, N. D. and CORDELL, A. R. Effect of cardiopulmonary bypass on hand and forearm blood flow 287–292
PAXTON, L. D., HUSS, B. K., LOUGHLIN, V. and MIRAKHUR, R. K. Intra-vas deferens bupivacaine for prevention of acute pain and chronic discomfort after vasectomy 612–613
PEARSALL, F. J. *see* DAVIDSON, J. A. H. 315–318
PENMAN, D. *see* TORDA, T. A. 35–40
PERÄKYLÄ, J. *see* HARTIKAINEN, K. 681–685
PEREZ, A., PLANELL, J., BACARDAZ, C., HOUNIE, A., FRANCI, J., BROTONS, C., CONGOST, L. and BOLIBAR, I. Value of routine preoperative tests: a multicentre study in four general hospitals 250–256
PETERSEN-FELIX, S. *see* ZBINDEN, A. M. 66–72
PETRING, O. U., DAWSON, P. J., BLAKE, D. W., JONES, D. J., BJORKSTEN, A. R., LIBRERI, F. C. and LEADBEATER, M. Normal postoperative gastric emptying after orthopaedic surgery with spinal anaesthesia and i.m. ketorolac as the first postoperative analgesic 257–260
PETROIANU, G. *see* MALECK, W., (*C*) 242
PETROS, A. J. *see* QUINN, A. C. 443–451
PFITZNER, J. Prevention of venous air embolism: are humans like sheep? (*C*) 722–723
PHILIP, J. H. *see* GOODIE, D. B., (*C*) 491–492
PICKERING, R. M. *see* LAUDER, G. R. 266–270; LUNN, D. V. 509–511
PICKETT, J. A., MAHMOOD, N., LATIMER, R. D., POWROZNYK, A., GHOSH, S. and ODURO, A. Effective absorption of nitrogen dioxide with soda lime, (*C*) 108–109
PICTON, A. J., WILLIAMS, I. M., MORTIMER, A. J. and MCCOLLUM, C. Near-infrared spectroscopy in adults, (*C*) 352–353
PIERCE, J. M. T. *see* PILKINGTON, S. N. 717–719
PILKINGTON, S., CARLI, F., DAKIN, M. J., ROMNEY, M., DE WITT, K. A., DORÉ, C. J. and CORMACK, R. S. Increase in Mallampati score during pregnancy 638–642
PILKINGTON, S. N., HETT, D. A., PIERCE, J. M. T. and SMITH, D. C. Auditory evoked responses and near infrared spectroscopy during cardiac arrest 717–719
PLANELL, J. *see* PEREZ, A. 250–256
PLEUVRY, B. J. *see* AHMAD, I. 311–314
POHJASVAARA, T. *see* HYNYNEN, M. 526–533
POLLARD, B. J., (editor) *Applied Neuromuscular Pharmacology*, (*R*) 494
POLLARD, B. J. *see* EL MIKATTI, N. 16–19; MORGAN, R. J. 651–654
POWER, I. *see* ASAI, T. 521–525; EGGERS, K. A., (*E*) 247–249
POWROZNYK, A. *see* PICKETT, J. A., (*C*) 108–109
PRICE, C. M. *see* FERNANDO, R., (*C*) 349–350
PUHAKKA, K. *see* ANTTONEN, H. 306–310

QUINN, A. C., PETROS, A. J. and VALLANCE, P. Nitric oxide: an endogenous gas 443–451

RÄIHÄ, L. *see* TAIVAINEN, T., (*C*) 724
RAINE, G. *see* WATKINS, S., (*ARS*) 478P
RAINE, P. A. M. *see* MORTON, N. S., (*R*) 356
RAMSAY, G. *see* DAVIDSON, J. A. H. 315–318
RAOOF, A. A., VAN OBBERGH, L. J. and VERBEECK, R. K. Propofol pharmacokinetics in children with biliary atresia 46–49
RAPHAEL, J. H., SELWYN, D. A., KEY, A., MOTTRAM, S. D. and LANGTON, J. A. Effects of morphine on human nasal cilia beat frequency *in vitro*, (*ARS*) 484–485P
RAUCOULES-AIMÉ, M., ROUSSEL, L. J., ROSSI, D., GASTAUD, P., DOLISI, C. and GRIMAUD, D. Effect of severity of surgery on metabolic control and insulin requirements in insulin-dependent diabetic patients 231–233
RAZIS, P. A., ROBINSON, D. L. and ALBERRY, R. Clinical presentation of "silent" meningiomas after general anaesthesia 335–337
RÉDAI, I., ENGLAND, A. J. and FELDMAN, S. A. Time taken for stabilization of muscle twitch does not necessarily affect onset and offset times of atracurium, (*ARS*) 474P
REDAI, I. *see* ENGLAND, A. J., (*ARS*) 473P
REILLY, C. S. *see* EDWARDS, N. D. 368–372
REINSEL, R. A., VESELIS, R. A., WRONSKI, M. and MARINO, P. The P300 event-related potential during propofol sedation: a possible marker for amnesia? 674–680
RETTRUP, A. *see* STERNLO, J.-E. 517–520
REYNOLDS, F. *see* GRIFFIN, R. P. 512–516
RICHARDS, K. *see* ENGLAND, A. J., (*ARS*) 473P
RICHARDSON, J., SABANATHAN, S. and SHAH, R. D. Multimodal analgesia before thoracic surgery, (*C*) 240
RICHMOND, C. Alkalinization of local anaesthetic for intra-articular instillation during arthroscopy, (*C*) 115

RIFAT, K. *see* BORGEAT, A., (*C*) 243
RIOU, B., KALFON, P., AROCK, M., GOARIN, J.-P., SAADA, M. and VIARS, P. Cardiovascular consequences of severe hypophosphataemia in brain-dead patients 424–429
RISDALL, J. E. *see* HETT, D. A. 614–615
RITTOO, D. *see* VALLANCE, H., (*ARS*) 478–479P
ROBB, H. M. *see* NIMMO, S. M. 31–34
ROBINSON, D. L. *see* RAZIS, P. A. 335–337
ROBINSON, P. N. *see* BARKER, J. P. 500–505
ROMNEY, M. *see* PILKINGTON, S. 638–642
RORARIUS, M. *see* HARTIKAINEN, K. 681–685
ROSE, D. *see* THOMAS, V. 271–276
ROSEN, M. Effects of extradural sufentanil and morphine on ventilation, (*C*) 493
ROSEN, M. *see* CLYBURN, P., (*C*) 242–243
ROSENBERG, H. *see* SHI, Y. 712–713
ROSENBERG, J. *see* STAUSHOLM, K. 607–609
ROSENBERG, P. H., LAMBERG, T. S., TARKKILA, P., MARTTILA, T., BJÖRKENHEIM, J.-M. and TUOMINEN, M. Auditory disturbance associated with interscalene brachial plexus block 89–91
ROSENBERG, P. H. *see* TAIVAINEN, T., (*C*) 724
ROSENBERG-ADAMSEN, S. *see* STAUSHOLM, K. 607–609
ROSSI, D. *see* RAUCOULES-AIMÉ, M. 231–233
ROTBØLL NIELSEN, P. *see* KOSCIELNIAK-NIELSEN, Z. J. 387–391
ROUSSEL, L. J. *see* RAUCOULES-AIMÉ, M. 231–233
RUCKLIDGE, M. A. *see* SMURTHWAITE, G. J., (*ARS*) 472–473P
RUDAS, L. *see* KARDOS, A., (*C*) 628–629
RUGGIER, R. *see* MERLE, J. C. 333–334; SLAVOV, V. 709–711
RUOKONEN, E. *see* PARVIAINEN, I. 277–282; UUSARO, A. 149–154
RUSSELL, S. H. Myotonic dystrophy and target-controlled propofol infusions, (*C*) 110
RUSSELL, S. H. and FREEMAN, J. W. Prevention of hypothermia during orthotopic liver transplantation: comparison of three different intraoperative warming methods 415–418
RUSSELL, W. J. Accidental oesophageal intubation, (*C*) 242
RYALL, D. M. *see* COOPER, D. W. 184–187
RYDER, I. G. *see* KONG, C. S. 201–208
RYHÄNEN, P. *see* ANTTONEN, H. 306–310
RYMASZEWSKI, L. R. *see* PARIKH, R. K. 469–471

SAADA, M. *see* RIOU, B. 424–429
SAARNIVAARA, L. *see* HONKAVAARA, P. 647–650
SABANATHAN, S. *see* RICHARDSON, J., (*C*) 240
SAHLMAN, A. *see* HYNYNEN, M. 526–533
SAIAH, M. *see* BORGEAT, A., (*C*) 243
SAIJONMAA, O. *see* TUOMINEN, H. P. 661–666
SAITOH, K. *see* HIRABAYASHI, Y. 41–45; 384–386
SAITOH, Y., TOYOOKA, H. and AMAHA, K. Post-tetanic burst: a new monitoring method for intense neuromuscular block 293–295
SANCHEZ DE LA CUESTA, F. *see* GOMEZ, A. 549–552
SANDIN, R. *see* STERNLO, J.-E. 517–520
SANDLER, A. *see* KAVANAGH, B., (*C*) 241–242
SAPSED-BYRNE, S. *see* BARKER, J. P. 500–505
SARANTOPOULOS, C. and FASSOULAKI, A. Accuracy of subject and author indexes in five anaesthesia journals 104–106
SATO, T. *see* ISHIBE, Y., (*C*) 108–109
SAVVA, D. Prediction of difficult tracheal intubation, (*C*) 243; Prediction of difficult tracheal intubation, (*C*) 490
SCHALOW, S. *see* HÖRMANN, Ch. 616–618
SCHEININ, M. *see* KIRVELÄ, M. 60–65
SCHINDLER, E. *see* BOLDT, J. 174–179
SCHMIDAUER, Ch. *see* HÖRMANN, Ch. 616–618
SCHMUCKER, P. *see* KLOTZ, K.-F. 655–660
SCHNECK, H. J. *see* BLOBNER, M. 452–454
SCHNEIDER, G. *see* BLOBNER, M. 452–454
SCKELL, A. *see* GROH, J. 209–216
SCOTT, N. B. *see* PARIKH, R. K. 469–471
SCOTT, R. C. *see* HETT, D. A. 614–615
SEAR, J. W. and GLEN, J. B. Propofol administered by a manual infusion regimen 362–367
SEAR, J. W. *see* HOWELL, S. J. 168–173
SEIWALD, M. *see* HÖRMANN, Ch. 616–618
SELIM, M. *see* NAGUIB, M. 26–30
SELWYN, D. A. *see* RAPHAEL, J. H., (*ARS*) 484–485P
SERPELL, M. *see* MARSHALL, S., (*ARS*) 481P
SERPELL, M. G. Positive lumbar extradural pressure, (*C*) 113
SERPELL, M. G., MARSHALL, S., ANDERSON, E., CULLEN, T. and ABERNETHY, J. Regional morphine for analgesia after foot surgery, (*ARS*) 480–481P
SHACHOR, D. *see* OLSFANGER, D. 141–144
SHAH, J. L. Positive lumbar extradural pressure, (*C*) 113–114
SHAH, R. D. *see* RICHARDSON, J., (*C*) 240
SHI, Y., KEYKHAH, M. M., STORELLA, R. J. and ROSENBERG, H. Effect of different volatile anaesthetics on suxamethonium-induced jaw muscle contracture in rats 712–713
SHIMIZU, R. *see* HIRABAYASHI, Y. 41–45; 384–386
SHIPTON, E. A. *Pain: Acute and Chronic*, (*R*) 494
SHORT, T. and CRITCHLEY, L. A. H. Haemodynamic effects of subarachnoid block in the elderly, (*C*) 244
SHORT, T. *see* CRITCHLEY, L. A. H., (*C*) 349
SHORT, T. G. *see* CRITCHLEY, L. A. H. 373–378
SIKAND, K. S. *see* LAMBERT, D. G., (*ARS*) 483P
SILTANEN, T. *see* HYNYNEN, M. 526–533
SIMON, J. *see* KARDOS, A., (*C*) 628–629
SINGER, M. *see* KLOTZ, K.-F. 655–660
SINGH, P., MAHAJAN, R. P., MURTY, G. E. and AITKENHEAD, A. R. Relationship of peak flow rate and peak velocity time during voluntary coughing 714–716
SINTON, R. I. Meningitis after combined spinal–extradural anaesthesia in obstetrics, (*C*) 351–352
SKRIVER, M. *see* STAUSHOLM, K. 607–609
SLAVOV, V., KHALIL, M., MERLE, J. C., AGOSTINI, M. M., RUGGIER, R. and DUVALDESTIN, P. Comparison of duration of neuromuscular blocking effect of atracurium and vecuronium in young and elderly patients 709–711
SLEIGH, J. W. *see* BARNARD, J. P. M. 155–158
SMIELEWSKI, P. *see* GUPTA, A. K., (*ARS*) 487P
SMITH, D. C. *see* PILKINGTON, S. N. 717–719
SMITH, G. *see* LAMBERT, D. G., (*ARS*) 483P; OYAMA, T., (*R*) 356
SMITH, G. B. *see* O'DONNELL, C. J. 343–344
SMITH, G. D. *see* MUNGLANI, R., (*ARS*) 482P
SMITH, I. Alkalinization of local anaesthetic for intra-articular instillation during arthroscopy, (*C*) 114–115
SMURTHWAITE, G. J. and RUCKLIDGE, M. A. Measurement of expired air temperature in patients under general anaesthesia, (*ARS*) 472–473P
Société Française d'Anesthésie et de Réanimation, (editors) *Congrès National d'Anesthésie et de Réanimation: Conférences d'Actualisation*, (*R*) 633
SOCKALINGAM, I. and GREEN, D. W. Mivacurium-induced prolonged neuromuscular block 234–236
SPENCE, A. A. *see* DOYLE, E., (*E*) 359–361
SPENS, H. J. and DRUMMOND, G. B. Chest wall movement on induction of anaesthesia with thiopentone, propofol, and eltanolone, (*ARS*) 472P
STAKES, A. F. *see* VALENTINE, J. M. J., (*C*) 490
STAMFORD, J. A. *see* JORM, C. M. 73–78
STAUSHOLM, K., ROSENBERG-ADAMSEN, S., SKRIVER, M., KEHLET, H. and ROSENBERG, J. Comparison of three devices for oxygen administration in the late postoperative period 607–609
STEDMON, J., YENTIS, S. M., LEVISON, A. and MORGAN, C. Comparison of two different scoring systems for predicting outcome after cardiac surgery, (*ARS*) 478P
STERNLO, J.-E., RETTRUP, A. and SANDIN, R. Prophylactic i.m. ephedrine in bupivacaine spinal anaesthesia 517–520
STERTMANN, W. A. *see* BOLDT, J. 174–179
STEVENS, R. A., BEARDSLEY, D. and WHITE, J. L. Does spinal anaesthesia result in a more complete sympathectomy than extradural anaesthesia? (*ARS*) 480P
STICKLE, B. R. *see* FOSTER, P. N., (*ARS*) 477P
STORELLA, R. J. *see* SHI, Y. 712–713
STRATFORD, N., MURPHY, P. G., COLUMB, M. O. and DAVIES, M. J. Free-radical-induced redox changes to haemoglobin and their modification by propofol, (*ARS*) 475P
STREBEL, S. *see* MATTA, B. F. 159–163; 296–300
STRID, L. *see* HIIPPALA, S. 534–537
STRUNIN, L. *see* TONER, C. C., (*C*) 112
STUART, J. C. *see* CRITCHLEY, L. A. H. 373–378
SUN, K. O. Airway management for tracheal tear, (*C*) 347
SUTER, P. M. *see* BORGEAT, A., (*C*) 243
SUTHERLAND, R. W. and DRUMMOND, G. B. Effects of skin incision on respiratory pattern during anaesthesia with enflurane and nitrous oxide, (*ARS*) 487–488P
SVARTLING, N. E. *see* TUOMINEN, H. P. 661–666
SWALES, H. A. and GAYLARD, D. G. Rocuronium for Caesarean section, (*C*) 348
SYMINGTON, M. *see* CONNOLLY, F. M. 229–230
SYVÄLAHTI, E. *see* PÄLVE, H. 704–705

TACKLEY, R. *see* BANKS, I., (*C*) 631–632
TAIVAINEN, T., TIAINEN, P., MERETOJA, O. A., RÄIHÄ, L. and ROSENBERG, P. H. Comparison of sevoflurane with halothane: statistically valid? (*C*) 724
TAIVAINEN, T. *see* MERETOJA, O. A. 6–11
TAKAHASHI, S. *see* HOKA, S. 438–442
TAKALA, J. *see* PARVIAINEN, I. 277–282; UUSARO, A. 149–154
TARKKILA, P., HUHTALA, J. and TUOMINEN, M. Transient radicular irritation after spinal anaesthesia with hyperbaric 5% lignocaine 328–329
TARKKILA, P. *see* ROSENBERG, P. H. 89–91

TARLING, M. M., WITHINGTON, P. S., TONER, C., BAXTER, M. K., WHELPTON, R. and GOLDHILL, D. R. Pilot study of paracetamol absorption in a group of intensive care patients, (*ARS*) 476–477P
TASHIRO, C. *see* NISHIDA, T. 95–97
TASSONYI, E. *see* FUCHS-BUDER, T. 405–409
TAYLOR, B. L. *see* O'DONNELL, C. J. 343–344
THOMAS, V., HEATH, M., ROSE, D. and FLORY, P. Psychological characteristics and the effectiveness of patient-controlled analgesia 271–276
TIAINEN, P. *see* TAIVAINEN, T., (*C*) 724
TIKKANEN, I. T. *see* TUOMINEN, H. P. 661–666
TOBIN, M. J., (editor) *Principles and Practice of Mechanical Ventilation*, (*R*) 245
TOMLINSON, A. A. *see* O'CONNOR, B. 706–708
TONER, C. *see* TARLING, M. M., (*ARS*) 476–477P
TONER, C. C. and STRUNIN, L. Effect of nabilone on nausea and vomiting, (*C*) 112
TORDA, T. A., HANN, P., MILLS, G., DE LEON, G. and PENMAN, D. Comparison of extradural fentanyl, bupivacaine and two fentanyl–bupivacaine mixtures for pain relief after abdominal surgery 35–40
TOYOOKA, H. *see* SAITOH, Y. 293–295
TRINICK, T. R. *see* LUNEY, S. R., (*ARS*) 482–483P
TSUTSUI, T., MAEKAWA, T., GOODCHILD, C. and JONES, J. G. Cerebral blood flow distribution during induced hypotension with haemorrhage, trimetaphan or nitroprusside in rats 686–690
TUOMINEN, H. P., SVARTLING, N. E., TIKKANEN, I. T., SAIJONMAA, O. and ASKO-SELJAVAARA, S. Perioperative plasma endothelin-1 concentrations and vasoconstriction during prolonged plastic surgical procedures 661–666
TUOMINEN, M. *see* ROSENBERG, P. H. 89–91; TARKKILA, P. 328–329
TWIST, A. Anaesthesia datasets, (*C*) 239
TZABAR, Y. and MARSHALL, R. Myotonic dystrophy and target-controlled propofol infusions, (*C*) 109–110

UENG, T. H. *see* CHEN, T. L. 558–562
UUSARO, A., RUOKONEN, E. and TAKALA, J. Gastric mucosal pH does not reflect changes in splanchnic blood flow after cardiac surgery 149–154

VAFIDIS, G. C. *see* BARKER, J. P. 500–505
VALENTINE, J. M. J., STAKES, A. F. and BELLAMY, M. C. Reflux during positive pressure ventilation via the laryngeal mask airway? (*C*) 490
VALLANCE, H., VOHRA, A. and RITTOO, D. Cardiovascular effects of ephedrine during anaesthesia and tracheal intubation with propofol, (*ARS*) 478–479P
VALLANCE, P. *see* QUINN, A. C. 443–451
VALVINI, E. M. and YOUNG, J. D. Serum nitrogen oxides during nitric oxide inhalation 338–339
VARILA, E. *see* HARTIKAINEN, K. 681–685
VAUGHAN, R. S. *see* ASAI, T. 521–525; BUCHANAN, C. C. R. 461–463
VERBEECK, R. K. *see* RAOOF, A. A. 46–49
VERDI, I. *see* BUCHANAN, C. C. R. 461–463
VERGHESE, C. *see* BRAIN, A. I. J., (*C*) 489–490
VERGNAUD, M.-C. *see* LAROCHE, D. 430–437
VESELIS, R. A. *see* REINSEL, R. A. 674–680
VIARS, P. *see* RIOU, B. 424–429
VOHRA, A. *see* VALLANCE, H., (*ARS*) 478–479P

WAHLSTRÖM, G. *see* WANG, M. D. 553–557
WAJIMA, Z., NAKAJIMA, Y., KIM, C., KOBAYASHI, N., KADOTANI, H., ADACHI, H., INOUE, T. and OGAWA, R. I.v. compared with brachial plexus infusion of butorphanol for postoperative analgesia 392–395
WALTAN, J., LOCK, S. and BARONDENS, J., (editors) *The Oxford Medical Companion*, 2nd Edn, (*R*) 245
WANG, M. D., WAHLSTRÖM, G., GEE, K. W. and BÄCKSTRÖM, T. Potency of lipid and protein formulation of 5α-pregnanolone at induction of anaesthesia and the corresponding regional brain distribution 553–557
WANIGASEKERA, V. *see* HOWELL, S. J. 168–173
WARREN, P. M. *see* FOO, I. T. 134–140
WATKINS, S., ENGLAND, A. J., BOLCINA, A., YENTIS, S. M., RAINE, G. and FELDMAN, S. A. Minor morbidity after day-case laparoscopy and the influence of droperidol 0.5 mg: a 1 month study, (*ARS*) 478P
WEAVER, M. K. Preoperative fasting for paediatric anaesthesia, (*C*) 349
WEBSTER, N. R. *see* COWLEY, H. C., (*ARS*) 476P
WEDLEY, J. R. and GAUCI, C. A. *Handbook of Clinical Techniques in the Management of Chronic Pain*, (*R*) 633
WEE, M. Meningitis after combined spinal–extradural anaesthesia in obstetrics, (*C*) 351; Posterior column sensory impairment during ambulatory extradural analgesia in labour, (*C*) 350
WEINGER, M. B., PARTRIDGE, B. L. and HENRY, A. F. Dexmedetomidine does not modify the neuromuscular blocking action of vecuronium in the anaesthetized rat 455–457
WELTERS, I. *see* BOLDT, J. 174–179
WENK, H. *see* KLOTZ, K.-F. 655–660
WENNERSTRAND, M. *see* HIIPPALA, S. 534–537
WHEATLEY, R. G. and MADEJ, T. H. Postoperative extradural analgesia, (*C*) 355
WHELPTON, R. *see* TARLING, M. M., (*ARS*) 476–477P
WHITE, D. C. *see* COTTER, S. M., (*C*) 627
WHITE, J. L. *see* STEVENS, R. A., (*ARS*) 480P
WHITE, T. *see* EDWARDS, N. D. 368–372
WHITTA, R. K. S., COX, D. J. A. and MALLETT, S. V. Thrombelastography reveals two causes of haemorrhage in HELLP syndrome 464–468
WILDER-SMITH, O. H. G. *see* FUCHS-BUDER, T. 405–409
WILDSMITH, J. A. W. *see* MCKINNON, R. P. 217–228
WILKINS, A. *see* MCSWINEY, M., (*C*) 348
WILLIAMS, A. R. *see* LUNN, D. V. 509–511
WILLIAMS, I. M. *see* PICTON, A. J., (*C*) 352–353
WILLIAMS, P. I. and HIGGS, A. Effect of nabilone on nausea and vomiting, (*C*) 112
WILLIS, N. *see* HOPE, D. A. 538–543
WILSON, A. *see* EL MIKATTI, N. 16–19
WIRTAVUORI, K. *see* MERETOJA, O. A. 6–11
WITHINGTON, P. S. *see* TARLING, M. M., (*ARS*) 476–477P
WOLFF, A. P., HASSELSTRÖM, L., KERKKAMP, H. E. and GIELEN, M. J. Extradural ropivacaine and bupivacaine in hip surgery 458–460
WONG, K. C. *see* HUANG, Y.-G. 583–590
WOOLF, C. J. *see* COLLIS, R. 396–399
WRONSKI, M. *see* REINSEL, R. A. 674–680
WU, X. *see* ENGLAND, A. J., (*ARS*) 473P

YABLOK, D. *see* ALLARD, J. 619–626
YAGI, M., MASHIMO, T., KAWAGUCHI, T. and YOSHIYA, I. Analgesic and hypnotic effects of subanaesthetic concentrations of xenon in human volunteers: comparison with nitrous oxide 670–673
YAMAGUCHI, A. and OKABE, E. Effect of sevoflurane on the vascular reactivity of rabbit mesenteric artery 576–582
YAMAGUCHI, T. *see* OGUCHI, T. 569–575
YENTIS, S. M. Cytokines and sepsis: time for reappraisal, (*E*) 119–120
YENTIS, S. M. *see* STEDMON, J., (*ARS*) 478P; WATKINS, S., (*ARS*) 478P
YIP, W.-H. *see* HUANG, Y.-G. 583–590
YLINEN, J. *see* HIIPPALA, S. 534–537
YOSHIYA, I. *see* YAGI, M. 670–673
YOUNG, J. D. Inhaled nitric oxide in acute respiratory failure, (*C*) 354; Nitric oxide delivery system, (*C*) 631
YOUNG, J. D. *see* HOWELL, S. J. 168–173; VALVINI, E. M. 338–339

ZBINDEN, A. M., FEIGENWINTER, P., PETERSEN-FELIX, S. and HACISALIHZADE, S. Arterial pressure control with isoflurane using fuzzy logic 66–72
ZHANG, P. *see* DAVIDSON, J. A. H. 315–318

SUBJECT INDEX

Acid–base equilibrium, metabolic acidosis, Cardiovascular responses to graded doses of three catecholamines during lactic and hydrochloric acidosis in dogs, HUANG, Y.-G., *et al.* 583–590

Acid–base equilibrium, pH, Gastric intramucosal pH, tissue oxygenation and acid–base balance, FIDDIAN-GREEN, R. G. 591–606

Age factors, Comparison of duration of neuromuscular blocking effect of atracurium and vecuronium in young and elderly patients, SLAVOV, V., *et al.* 709–711

——, Endothelial-related coagulation in cardiac surgery, BOLDT, J., *et al.* 174–179

Airway, complications, Use of the Hayek oscillator in a case of failed fibreoptic intubation, BROOMHEAD, C. J., *et al.* 720–721

Allergy, Histaminoid reactions in anaesthesia, MCKINNON, R. P., *et al.* 217–228

Anaesthesia, audit, Acid aspiration syndrome in obstetrics, LANGFORD, R. M., *et al.*, (*C*) 239–240

——, Acid aspiration syndrome in obstetrics, MAY, A. E., (*C*) 240

——, Anaesthesia datasets, LACK, J. A., (*C*) 239

——, Anaesthesia datasets, TWIST, A., (*C*) 239

——, Departmental guides for anaesthetic emergencies, HEATH, M. L., (*ARS*) 484P

——, Effect of automatic record keeping on vigilance and record keeping time, ALLARD, J., *et al.* 619–626

——, Events, incidents and critical incidents, BANKS, I., *et al.*, (*C*) 631–632

——, Events, incidents and critical incidents, JAYASURIYA, J. P., (*C*) 631

——, Value of routine preoperative tests: a multicentre study in four general hospitals, PEREZ, A., *et al.* 250–256

Anaesthesia Databook. A Clinical Practice Compendium, 2nd Edn, MASON, R. A., (*R*) 494

Anaesthesia, day-case, Comparison of two standard techniques of general anaesthesia for day-case cataract surgery, MOFFAT, A., *et al.* 145–148

——, Low-dose droperidol reduces postoperative vomiting in paediatric day surgery, LUNN, D. V., *et al.* 509–511

——, Minor morbidity after day-case laparoscopy and the influence of droperidol 0.5 mg: a 1 month study, WATKINS, S., *et al.*, (*ARS*) 478P

Anaesthesia, depth, The P300 event-related potential during propofol sedation: a possible marker for amnesia? REINSEL, R. A., *et al.* 674–680

——, Visually evoked bursts during isoflurane anaesthesia, HARTIKAINEN, K., *et al.* 681–685

Anaesthesia, education, Anaesthesia and the undergraduate medical curriculum, COOPER, G. M., *et al.*, (*E*) 3–5

Anaesthesia, general, Clinical presentation of "silent" meningiomas after general anaesthesia, RAZIS, P. A., *et al.* 335–337

——, Perioperative myocardial ischaemia in patients undergoing transurethral surgery: a pilot study comparing general with spinal anaesthesia, EDWARDS, N. D., *et al.* 368–372

——, Value of routine preoperative tests: a multicentre study in four general hospitals, PEREZ, A., *et al.* 250–256

Anaesthesia, geriatric, Comparison of two standard techniques of general anaesthesia for day-case cataract surgery, MOFFAT, A., *et al.* 145–148

Anaesthesia, induction, Chest wall movement on induction of anaesthesia with thiopentone, propofol, and eltanolone, SPENS, H. J., *et al.*, (*ARS*) 472P

Anaesthesia, journals, Accuracy of subject and author indexes in five anaesthesia journals, SARANTOPOULOS, C., *et al.* 104–106

Anaesthesia, neurosurgical, Prevention of venous air embolism: are humans like sheep? MEYER, P., (*C*) 723

——, Prevention of venous air embolism: are humans like sheep? PFITZNER, J., (*C*) 722–723

Anaesthesia, obstetric, Extradural anaesthesia for Caesarean section: a double-blind comparison of 0.5% ropivacaine with 0.5% bupivacaine, GRIFFIN, R. P., *et al.* 512–516

——, Increase in Mallampati score during pregnancy, PILKINGTON, S., *et al.* 638–642

——, I.v. tenoxicam for analgesia during Caesarean section, ELHAKIM, M., *et al.* 643–646

——, Meningitis after combined spinal–extradural anaesthesia in obstetrics, HARDING, S. A., *et al.*, (*C*) 351

——, Meningitis after combined spinal–extradural anaesthesia in obstetrics, HARDING, S. A., *et al.*, (*C*) 352

——, Meningitis after combined spinal–extradural anaesthesia in obstetrics, SINTON, R. I., (*C*) 351–352

——, Meningitis after combined spinal–extradural anaesthesia in obstetrics, WEE, M., (*C*) 351

——, Posterior column sensory impairment during ambulatory extradural analgesia in labour, BUGGY, D., *et al.*, (*C*) 350

——, Posterior column sensory impairment during ambulatory extradural analgesia in labour, FERNANDO, R., *et al.*, (*C*) 349–350

——, Posterior column sensory impairment during ambulatory extradural analgesia in labour, WEE, M., (*C*) 350

——, Rocuronium for Caesarean section, ABOULEISH, E., *et al.*, (*C*) 347–348

——, Rocuronium for Caesarean section, ABOULEISH, E., *et al.*, (*C*) 348

——, Rocuronium for Caesarean section, KWAN, W.-F., *et al.*, (*C*) 347

——, Rocuronium for Caesarean section, MCSWINEY, M., *et al.*, (*C*) 348

——, Rocuronium for Caesarean section, SWALES, H. A., *et al.*, (*C*) 348

——, Spinal anaesthesia and aspirin, GOODMAN, N. W., (*C*) 355

——, Spinal anaesthesia and aspirin, MACDONALD, R., (*C*) 355

——, Spread of subarachnoid hyperbaric amethocaine in pregnant women, HIRABAYASHI, Y., *et al.* 384–386

——, Uptake of halothane and isoflurane by mother and baby during Caesarean section, DWYER, R., *et al.* 379–383

Anaesthesia, otolaryngological, Right upper lobectomy in a patient with an iatrogenic tracheo–oesophageal fistula after laryngectomy, BUCHANAN, C. C. R., *et al.* 461–463

Anaesthesia, paediatric, Anaesthetic management of a 656-g neonate undergoing pulmonary valvotomy, NISHIDA, T., *et al.* 95–97

——, Comparison of sevoflurane with halothane: statistically valid? MALAGON, I., (*C*) 724

——, Comparison of sevoflurane with halothane: statistically valid? TAIVAINEN, T., *et al.*, (*C*) 724

——, Comparison of the haemodynamic effects of dopamine and dobutamine in young children undergoing cardiac surgery, BOOKER, P. D., *et al.* 419–423

——, Cutaneous heat loss in children during anaesthesia, ANTTONEN, H., *et al.* 306–310

——, Effects of oral nizatidine on preoperative gastric fluid pH and volume in children, COTÉ, C. J., (*C*) 491

——, Infraorbital nerve block in neonates for cleft lip repair: anatomical study and clinical application, BÖSENBERG, A. T., *et al.* 506–508

——, Low-dose droperidol reduces postoperative vomiting in paediatric day surgery, LUNN, D. V., *et al.* 509–511

——, Preoperative fasting for paediatric anaesthesia, WEAVER, M. K., (*C*) 349

Anaesthetic techniques, extradural, Comparison of extradural fentanyl, bupivacaine and two fentanyl–bupivacaine mixtures for pain relief after abdominal surgery, TORDA, T. A., *et al.* 35–40

——, Comparison of ropivacaine and bupivacaine in extradural analgesia for the relief of pain in labour, MCCRAE, A. F., *et al.* 261–265

——, Does spinal anaesthesia result in a more complete sympathectomy than extradural anaesthesia? STEVENS, R. A., *et al.*, (*ARS*) 480P

——, Effects of extradural sufentanil and morphine on ventilation, DRUMMOND, G. B., (*C*) 492–493

——, Effects of extradural sufentanil and morphine on ventilation, ROSEN, M., (*C*) 493

——, Extradural anaesthesia for Caesarean section: a double-

blind comparison of 0.5% ropivacaine with 0.5% bupivacaine, GRIFFIN, R. P., *et al.* 512–516
——, Extradural fentanyl for postoperative analgesia: predominant spinal or systemic action? COOPER, D. W., *et al.* 184–187
——, Extradural ropivacaine and bupivacaine in hip surgery, WOLFF, A. P., *et al.* 458–460
——, Meningitis after combined spinal–extradural anaesthesia in obstetrics, HARDING, S. A., *et al.*, (*C*) 351
——, Meningitis after combined spinal–extradural anaesthesia in obstetrics, HARDING, S. A., *et al.*, (*C*) 352
——, Meningitis after combined spinal–extradural anaesthesia in obstetrics, SINTON, R. I., (*C*) 351–352
——, Meningitis after combined spinal–extradural anaesthesia in obstetrics, WEE, M., (*C*) 351
——, Positive lumbar extradural pressure, SERPELL, M. G., (*C*) 113
——, Positive lumbar extradural pressure, SHAH, J. L., (*C*) 113–114
——, Posterior column sensory impairment during ambulatory extradural analgesia in labour, BUGGY, D., *et al.*, (*C*) 350
——, Posterior column sensory impairment during ambulatory extradural analgesia in labour, FERNANDO, R., *et al.*, (*C*) 349–350
——, Posterior column sensory impairment during ambulatory extradural analgesia in labour, WEE, M., (*C*) 350
Anaesthetic techniques, hypotensive, Cerebral blood flow distribution during induced hypotension with haemorrhage, trimetaphan or nitroprusside in rats, TSUTSUI, T., *et al.* 686–690
——, Cerebral blood flow during induced hypotension, MOSS, E., (*E*) 635–637
——, Cerebrovascular response to carbon dioxide during sodium nitroprusside- and isoflurane-induced hypotension, MATTA, B. F., *et al.* 296–300
Anaesthetic techniques, inhalation, Isoflurane and desflurane do not dilate the middle cerebral artery appreciably, MATTA, B., *et al.*, (*ARS*) 486–487P
Anaesthetic techniques, i.v., Comparison of the effects of four i.v. anaesthetic agents on polymorphonuclear leucocyte function, DAVIDSON, J. A. H., *et al.* 315–318
——, Regional morphine for analgesia after foot surgery, SERPELL, M. G., *et al.*, (*ARS*) 480–481P
Anaesthetic techniques, i.v. infusion, Propofol administered by a manual infusion regimen, SEAR, J. W., *et al.* 362–367
——, Total i.v. anaesthesia with propofol and the laryngeal mask for orthopaedic surgery, DYER, R. A., *et al.* 123–128
Anaesthetic techniques, regional, Comparison of two methods of ankle block for foot surgery, MARSHALL, S., *et al.*, (*ARS*) 481P
——, Influence of cold on the recovery of vecuronium and decamethonium in humans, ENGLAND, A. J., *et al.*, (*ARS*) 473P
——, Infraorbital nerve block in neonates for cleft lip repair: anatomical study and clinical application, BÖSENBERG, A. T., *et al.* 506–508
——, Regional morphine for analgesia after foot surgery, SERPELL, M. G., *et al.*, (*ARS*) 480–481P
——, Spinal anaesthesia and aspirin, GOODMAN, N. W., (*C*) 355
——, Spinal anaesthesia and aspirin, MACDONALD, R., (*C*) 355
Anaesthetic techniques, regional, brachial plexus, Auditory disturbance associated with interscalene brachial plexus block, ROSENBERG, P. H., *et al.* 89–91
——, Effect of arm position on the effectiveness of perivascular axillary nerve block, KOSCIELNIAK-NIELSEN, Z. J., *et al.* 387–391
Anaesthetic techniques, regional, retrobulbar, Metabolic control of non-insulin-dependent diabetic patients undergoing cataract surgery: comparison of local and general anaesthesia, BARKER, J. P., *et al.* 500–505
Anaesthetic techniques, regional, thoracic, Tracheal anaesthesia for transthoracic endoscopic sympathectomy: an alternative to endobronchial anaesthesia, OLSFANGER, D., *et al.* 141–144
Anaesthetic techniques, subarachnoid, Effect of i.v. diamorphine on the regression of spinal block, HENDERSON, D. J., *et al.* 610–611
——, Haemodynamic effects of subarachnoid block in the elderly, COE, A. J., (*C*) 244
——, Haemodynamic effects of subarachnoid block in the elderly, CRITCHLEY, L. A. H., *et al.*, (*C*) 349
——, Haemodynamic effects of subarachnoid block in the elderly, LAMB, F. J., (*C*) 349
——, Haemodynamic effects of subarachnoid block in the elderly, SHORT, T., *et al.*, (*C*) 244
——, Hypotension during subarachnoid anaesthesia: haemodynamic effects of ephedrine, CRITCHLEY, L. A. H., *et al.* 373–378
——, Methoxamine and blood loss in prostatic surgery, ALEXANDER-WILLIAMS, M., (*C*) 628
——, Methoxamine and blood loss in prostatic surgery, CHAMBERS, F. A., (*C*) 628
——, Methoxamine and blood loss in prostatic surgery, CHAMBERS, F. A., (*C*) 628
——, Methoxamine and blood loss in prostatic surgery, HOWELLS, H., (*C*) 628
——, Perioperative myocardial ischaemia in patients undergoing transurethral surgery: a pilot study comparing general with spinal anaesthesia, EDWARDS, N. D., *et al.* 368–372
——, Prophylactic i.m. ephedrine in bupivacaine spinal anaesthesia, STERNLO, J.-E., *et al.* 517–520
——, Spread of subarachnoid hyperbaric amethocaine in adolescents, HIRABAYASHI, Y., *et al.* 41–45
——, Spread of subarachnoid hyperbaric amethocaine in pregnant women, HIRABAYASHI, Y., *et al.* 384–386
——, Transient radicular irritation after spinal anaesthesia with hyperbaric 5% lignocaine, TARKKILA, P., *et al.* 328–329
Anaesthetics gases, nitrous oxide, Analgesic and hypnotic effects of subanaesthetic concentrations of xenon in human volunteers: comparison with nitrous oxide, YAGI, M., *et al.* 670–673
——, Effects of skin incision on respiratory pattern during anaesthesia with enflurane and nitrous oxide, SUTHERLAND, R. W., *et al.*, (*ARS*) 487–488P
Anaesthetics gases, xenon, Analgesic and hypnotic effects of subanaesthetic concentrations of xenon in human volunteers: comparison with nitrous oxide, YAGI, M., *et al.* 670–673
Anaesthetics i.v., eltanolone, Chest wall movement on induction of anaesthesia with thiopentone, propofol, and eltanolone, SPENS, H. J., *et al.*, (*ARS*) 472P
Anaesthetics i.v., etomidate, Comparison of two standard techniques of general anaesthesia for day-case cataract surgery, MOFFAT, A., *et al.* 145–148
Anaesthetics i.v., ketamine, Is ketamine a voltage-sensitive Ca^{2+} channel blocker? LAMBERT, D. G., *et al.*, (*ARS*) 483P
——, Selective effects of ketamine on amino acid-mediated pathways in neonatal rat spinal cord, BROCKMEYER, D. M., *et al.* 79–84
Anaesthetics i.v., pregnanolone, Potency of lipid and protein formulation of 5α-pregnanolone at induction of anaesthesia and the corresponding regional brain distribution, WANG, M. D., *et al.* 553–557
Anaesthetics i.v., propofol, Bimodality of expiratory time in patients anaesthetized with propofol, GOODMAN, N. W. 129–133
——, Cardiovascular effects of ephedrine during anaesthesia and tracheal intubation with propofol, VALLANCE, H., *et al.*, (*ARS*) 478–479P
——, Cerebral pressure autoregulation and carbon dioxide reactivity during propofol-induced EEG suppression, MATTA, B. F., *et al.* 159–163
——, Chest wall movement on induction of anaesthesia with thiopentone, propofol, and eltanolone, SPENS, H. J., *et al.*, (*ARS*) 472P
——, Comparison of two standard techniques of general anaesthesia for day-case cataract surgery, MOFFAT, A., *et al.* 145–148
——, Effects of propofol and thiopentone, and benzodiazepine premedication on heart rate variability measured by spectral analysis, HOWELL, S. J., *et al.* 168–173
——, Effects of sub-hypnotic doses of propofol on the side effects of intrathecal morphine, BORGEAT, A., *et al.*, (*C*) 243
——, Free-radical-induced redox changes to haemoglobin and their modification by propofol, STRATFORD, N., *et al.*, (*ARS*) 475P
——, Human cytochrome P450 mono-oxygenase system is suppressed by propofol, CHEN, T. L., *et al.* 558–562
——, Interactions between opioid drugs and propofol in laboratory models of seizures, AHMAD, I., *et al.* 311–314
——, Propofol administered by a manual infusion regimen, SEAR, J. W., *et al.* 362–367
——, Propofol pharmacokinetics in children with biliary atresia, RAOOF, A. A., *et al.* 46–49
——, The P300 event-related potential during propofol sedation: a possible marker for amnesia? REINSEL, R. A., *et al.* 674–680
——, Total i.v. anaesthesia with propofol and the laryngeal mask for orthopaedic surgery, DYER, R. A., *et al.* 123–128
Anaesthetics i.v., thiopentone, Chest wall movement on induction of anaesthesia with thiopentone, propofol, and eltanolone, SPENS, H. J., *et al.*, (*ARS*) 472P
——, Effects of propofol and thiopentone, and benzodiazepine premedication on heart rate variability measured by spectral analysis, HOWELL, S. J., *et al.* 168–173

Anaesthetics local, Alkalinization of local anaesthetic for intra-articular instillation during arthroscopy, RICHMOND, C., (*C*) 115
——, Alkalinization of local anaesthetic for intra-articular instillation during arthroscopy, SMITH, I., (*C*) 114–115
Anaesthetics local, amethocaine, Evaluation of the efficacy and safety of amethocaine gel applied topically before venous cannulation in adults, O'CONNOR, B., *et al.* 706–708
——, Spread of subarachnoid hyperbaric amethocaine in adolescents, HIRABAYASHI, Y., *et al.* 41–45
——, Spread of subarachnoid hyperbaric amethocaine in pregnant women, HIRABAYASHI, Y., *et al.* 384–386
Anaesthetics local, bupivacaine, Comparison of extradural fentanyl, bupivacaine and two fentanyl–bupivacaine mixtures for pain relief after abdominal surgery, TORDA, T. A., *et al.* 35–40
——, Comparison of ropivacaine and bupivacaine in extradural analgesia for the relief of pain in labour, MCCRAE, A. F., *et al.* 261–265
——, Extradural anaesthesia for Caesarean section: a double-blind comparison of 0.5% ropivacaine with 0.5% bupivacaine, GRIFFIN, R. P., *et al.* 512–516
——, Extradural ropivacaine and bupivacaine in hip surgery, WOLFF, A. P., *et al.* 458–460
——, Intra-vas deferens bupivacaine for prevention of acute pain and chronic discomfort after vasectomy, PAXTON, L. D., *et al.* 612–613
Anaesthetics local, lignocaine, Does spinal anaesthesia result in a more complete sympathectomy than extradural anaesthesia? STEVENS, R. A., *et al.*, (*ARS*) 480P
——, Maximum recommended doses of lignocaine are not toxic, PÄLVE, H., *et al.* 704–705
——, Transient radicular irritation after spinal anaesthesia with hyperbaric 5% lignocaine, TARKKILA, P., *et al.* 328–329
Anaesthetics local, ropivacaine, Comparison of ropivacaine and bupivacaine in extradural analgesia for the relief of pain in labour, MCCRAE, A. F., *et al.* 261–265
——, Extradural anaesthesia for Caesarean section: a double-blind comparison of 0.5% ropivacaine with 0.5% bupivacaine, GRIFFIN, R. P., *et al.* 512–516
——, Extradural ropivacaine and bupivacaine in hip surgery, WOLFF, A. P., *et al.* 458–460
Anaesthetics volatile, Determination of anaesthetic agent concentration by refractometry, ALLISON, J. M., *et al.* 85–88
——, Regional left ventricular diastolic function under inhalation anaesthesia in dogs, MUÑOZ, H. R., *et al.*, (*ARS*) 479P
Anaesthetics volatile, desflurane, Effect of different volatile anaesthetics on suxamethonium-induced jaw muscle contracture in rats, SHI, Y., *et al.* 712–713
——, Isoflurane and desflurane do not dilate the middle cerebral artery appreciably, MATTA, B., *et al.*, (*ARS*) 486–487P
Anaesthetics volatile, enflurane, Comparative effects of halothane, enflurane, isoflurane and sevoflurane on function and metabolism in the ischaemic rat heart, OGUCHI, T., *et al.* 569–575
——, Effects of skin incision on respiratory pattern during anaesthesia with enflurane and nitrous oxide, SUTHERLAND, R. W., *et al.*, (*ARS*) 487–488P
——, Fresh gas flow rate and enflurane consumption, COTTER, S. M., *et al.*, (*C*) 627
——, Fresh gas flow rate and enflurane consumption, LOGAN, M., (*C*) 627
Anaesthetics volatile, halothane, Comparative effects of halothane, enflurane, isoflurane and sevoflurane on function and metabolism in the ischaemic rat heart, OGUCHI, T., *et al.* 569–575
——, Comparison of sevoflurane with halothane: statistically valid? MALAGON, I., (*C*) 724
——, Comparison of sevoflurane with halothane: statistically valid? TAIVAINEN, T., *et al.*, (*C*) 724
——, Comparison of the effects of sevoflurane, isoflurane and halothane on indocyanine green clearance, KANAYA, N., *et al.* 164–167
——, Effect of different volatile anaesthetics on suxamethonium-induced jaw muscle contracture in rats, SHI, Y., *et al.* 712–713
——, Halothane affects ventilatory afterdischarge in humans, DAHAN, A., *et al.* 544–548
——, Hepatic glutathione S-transferase concentrations during and after brief anaesthesia in children, LYONS, J. D. M., *et al.*, (*ARS*) 483–484P
——, Uptake of halothane and isoflurane by mother and baby during Caesarean section, DWYER, R., *et al.* 379–383
Anaesthetics volatile, isoflurane, Arterial pressure control with isoflurane using fuzzy logic, ZBINDEN, A. M., *et al.* 66–72
——, ATP sparing effect of isoflurane during ischaemia and reperfusion of the canine heart, KANAYA, N., *et al.* 563–568
——, Cerebrovascular response to carbon dioxide during sodium nitroprusside- and isoflurane-induced hypotension, MATTA, B. F., *et al.* 296–300
——, Comparative effects of halothane, enflurane, isoflurane and sevoflurane on function and metabolism in the ischaemic rat heart, OGUCHI, T., *et al.* 569–575
——, Comparison of the effects of sevoflurane, isoflurane and halothane on indocyanine green clearance, KANAYA, N., *et al.* 164–167
——, Comparison of two standard techniques of general anaesthesia for day-case cataract surgery, MOFFAT, A., *et al.* 145–148
——, Effect of cimetidine on isoflurane metabolism during prolonged anaesthesia, LUNEY, S. R., *et al.*, (*ARS*) 482–483P
——, Effect of different volatile anaesthetics on suxamethonium-induced jaw muscle contracture in rats, SHI, Y., *et al.* 712–713
——, Effects of isoflurane on regional pulmonary blood flow during one-lung ventilation, GROH, J., *et al.* 209–216
——, Hepatic glutathione S-transferase concentrations during and after brief anaesthesia in children, LYONS, J. D. M., *et al.*, (*ARS*) 483–484P
——, Interaction of the effects of domperidone and sub-anaesthetic concentrations of isoflurane on the immediate and sustained hypoxic ventilatory response in humans, FOO, I. T., *et al.* 134–140
——, Isoflurane and desflurane do not dilate the middle cerebral artery appreciably, MATTA, B., *et al.*, (*ARS*) 486–487P
——, Lack of bronchodilator effect after administration of subanaesthetic concentration of isoflurane in mild asthmatic subjects challenged with methacholine, MERCIER, F. J., *et al.* 301–305
——, Uptake of halothane and isoflurane by mother and baby during Caesarean section, DWYER, R., *et al.* 379–383
——, Visually evoked bursts during isoflurane anaesthesia, HARTIKAINEN, K., *et al.* 681–685
Anaesthetics volatile, sevoflurane, Comparative effects of halothane, enflurane, isoflurane and sevoflurane on function and metabolism in the ischaemic rat heart, OGUCHI, T., *et al.* 569–575
——, Comparison of sevoflurane with halothane: statistically valid? MALAGON, I., (*C*) 724
——, Comparison of sevoflurane with halothane: statistically valid? TAIVAINEN, T., *et al.*, (*C*) 724
——, Comparison of the effects of sevoflurane, isoflurane and halothane on indocyanine green clearance, KANAYA, N., *et al.* 164–167
——, Degradation products of sevoflurane during low-flow anaesthesia, BITO, H., *et al.* 56–59
——, Effect of sevoflurane on the vascular reactivity of rabbit mesenteric artery, YAMAGUCHI, A., *et al.* 576–582
——, Effect of total flow rate on the concentration of degradation products generated by reaction between sevoflurane and soda lime, BITO, H., *et al.* 667–669
Anaesthetist, activity, Impressions of British anaesthesia, BOFFA, G. M., (*C*) 111
Anaesthetist, medicolegal, Mishap or negligence, KITCHING, A., *et al.*, (*C*) 111–112
Analgesia, obstetric, Comparison of ropivacaine and bupivacaine in extradural analgesia for the relief of pain in labour, MCCRAE, A. F., *et al.* 261–265
——, I.v. tenoxicam for analgesia during Caesarean section, ELHAKIM, M., *et al.* 643–646
——, Spinal anaesthesia and aspirin, GOODMAN, N. W., (*C*) 355
——, Spinal anaesthesia and aspirin, MACDONALD, R., (*C*) 355
Analgesia, paediatric, Circumcision analgesia, ANDERSEN, K. H., (*C*) 627
——, Circumcision analgesia, CHAMBERS, F. A., (*C*) 627
Analgesia, patient-controlled, Extradural fentanyl for postoperative analgesia: predominant spinal or systemic action? COOPER, D. W., *et al.* 184–187
——, Psychological characteristics and the effectiveness of patient-controlled analgesia, THOMAS, V., *et al.* 271–276
Analgesia, postoperative, Is there any clinical advantage of increasing the pre-emptive dose of morphine or combining pre-incisional with postoperative morphine administration? COLLIS, R., *et al.* 396–399
——, I.v. compared with brachial plexus infusion of butorphanol for postoperative analgesia, WAJIMA, Z., *et al.* 392–395
——, Prolonged postoperative analgesia for arthrolysis of the elbow joint, PARIKH, R. K., *et al.* 469–471

Analgesia, pre-emptive, Effect of different pre-emptive treatments on long-term neuropeptide expression in the dorsal root ganglia in a model of neuropathic pain, MUNGLANI, R., *et al.*, (*ARS*) 482P
——, Is there any clinical advantage of increasing the pre-emptive dose of morphine or combining pre-incisional with postoperative morphine administration? COLLIS, R., *et al.* 396–399
——, Multimodal analgesia before thoracic surgery, DOYLE, E., *et al.*, (*C*) 241
——, Multimodal analgesia before thoracic surgery, KAVANAGH, B., *et al.*, (*C*) 241–242
——, Multimodal analgesia before thoracic surgery, RICHARDSON, J., *et al.*, (*C*) 240
Analgesic techniques, Multimodal analgesia before thoracic surgery, DOYLE, E., *et al.*, (*C*) 241
——, Multimodal analgesia before thoracic surgery, KAVANAGH, B., *et al.*, (*C*) 241–242
——, Multimodal analgesia before thoracic surgery, RICHARDSON, J., *et al.*, (*C*) 240
Analgesic techniques, extradural, Postoperative extradural analgesia, JONES, H. M., *et al.*, (*C*) 354
——, Postoperative extradural analgesia, WHEATLEY, R. G., *et al.*, (*C*) 355
——, Selection of the optimum opioid for extradural administration in the treatment of postoperative pain, CHRUBASIK, S., *et al.*, (*E*) 121–122
Analgesic techniques, infusion, I.v. compared with brachial plexus infusion of butorphanol for postoperative analgesia, WAJIMA, Z., *et al.* 392–395
Analgesic techniques, intra-articular, Alkalinization of local anaesthetic for intra-articular instillation during arthroscopy, RICHMOND, C., (*C*) 115
——, Alkalinization of local anaesthetic for intra-articular instillation during arthroscopy, SMITH, I., (*C*) 114–115
Analgesic techniques, regional, brachial plexus, I.v. compared with brachial plexus infusion of butorphanol for postoperative analgesia, WAJIMA, Z., *et al.* 392–395
Analgesic techniques, regional, interpleural, Intrabronchial injection, an unusual complication of interpleural analgesia, DUTTA, D., *et al.* 98–99
Analgesics non-opioid, ketorolac, Normal postoperative gastric emptying after orthopaedic surgery with spinal anaesthesia and i.m. ketorolac as the first postoperative analgesic, PETRING, O. U., *et al.* 257–260
Analgesics non-opioid, paracetamol, Pilot study of paracetamol absorption in a group of intensive care patients, TARLING, M. M., *et al.*, (*ARS*) 476–477P
Analgesics non-opioid, tenoxicam, I.v. tenoxicam for analgesia during Caesarean section, ELHAKIM, M., *et al.* 643–646
Analgesics non-opioid, tramadol, Tramadol, EGGERS, K. A., *et al.*, (*E*) 247–249
Analgesics opioid, Interactions between opioid drugs and propofol in laboratory models of seizures, AHMAD, I., *et al.* 311–314
——, Pilot study of paracetamol absorption in a group of intensive care patients, TARLING, M. M., *et al.*, (*ARS*) 476–477P
——, Selection of the optimum opioid for extradural administration in the treatment of postoperative pain, CHRUBASIK, S., *et al.*, (*E*) 121–122
Analgesics opioid, alfentanil, Selective effects of alfentanil on nociceptive-related neurotransmission in neonatal rat spinal cord, FENG, J., *et al.* 691–696
Analgesics opioid, butorphanol, I.v. compared with brachial plexus infusion of butorphanol for postoperative analgesia, WAJIMA, Z., *et al.* 392–395
Analgesics opioid, diamorphine, Effect of i.v. diamorphine on the regression of spinal block, HENDERSON, D. J., *et al.* 610–611
Analgesics opioid, fentanyl, Bupivacaine-free analgesia for the first stage of labour with clonidine–fentanyl, BUGGY, D., (*ARS*) 481P
——, Comparison of extradural fentanyl, bupivacaine and two fentanyl–bupivacaine mixtures for pain relief after abdominal surgery, TORDA, T. A., *et al.* 35–40
——, Extradural fentanyl for postoperative analgesia: predominant spinal or systemic action? COOPER, D. W., *et al.* 184–187
Analgesics opioid, morphine, Actions of morphine on noradrenaline efflux in the rat locus coeruleus are mediated via both opioid and α_2 adrenoceptor mechanisms, JORM, C. M., *et al.* 73–78
——, Effects of extradural sufentanil and morphine on ventilation, DRUMMOND, G. B., (*C*) 492–493
——, Effects of extradural sufentanil and morphine on ventilation, ROSEN, M., (*C*) 493
——, Effects of morphine on human nasal cilia beat frequency *in vitro*, RAPHAEL, J. H., *et al.*, (*ARS*) 484–485P
——, Effects of sub-hypnotic doses of propofol on the side effects of intrathecal morphine, BORGEAT, A., *et al.*, (*C*) 243
——, Is there any clinical advantage of increasing the pre-emptive dose of morphine or combining pre-incisional with postoperative morphine administration? COLLIS, R., *et al.* 396–399
——, Normal postoperative gastric emptying after orthopaedic surgery with spinal anaesthesia and i.m. ketorolac as the first postoperative analgesic, PETRING, O. U., *et al.* 257–260
——, Regional morphine for analgesia after foot surgery, SERPELL, M. G., *et al.*, (*ARS*) 480–481P
——, Selective effects of alfentanil on nociceptive-related neurotransmission in neonatal rat spinal cord, FENG, J., *et al.* 691–696
Analgesics opioid, sufentanil, Effects of extradural sufentanil and morphine on ventilation, DRUMMOND, G. B., (*C*) 492–493
——, Effects of extradural sufentanil and morphine on ventilation, ROSEN, M., (*C*) 493
——, First-pass pulmonary retention of sufentanil at three different background blood concentrations of the opioid, BOER, F., *et al.* 50–55
Antacids, cimetidine, Effect of cimetidine on isoflurane metabolism during prolonged anaesthesia, LUNEY, S. R., *et al.*, (*ARS*) 482–483P
Antacids, lansoprazole, Lansoprazole in the prophylaxis of acid aspiration during elective surgery, HETT, D. A., *et al.* 614–615
Antagonists miscellaneous, CSF and plasma pharmacokinetics of the NMDA receptor antagonist CPP after intrathecal, extradural and i.v. administration in anaesthetized pigs, KRISTENSEN, J. D., *et al.* 193–200
Antagonists neuromuscular block, edrophonium, Antagonism of mivacurium block with edrophonium from various degrees of spontaneous recovery, CONNOLLY, F. M., *et al.* 229–230
——, Antagonism of pancuronium- and pipecuronium-induced neuromuscular block, GYERMEK, L., *et al.* 410–414
——, Low and high frequency stimulation tests to characterize the effects of edrophonium on vecuronium-induced neuromuscular block, BAURAIN, M. J., *et al.* 12–15
——, Recovery characteristics after early administration of anticholinesterases during intense mivacurium-induced neuromuscular block, ABDULATIF, M. 20–25
——, Time course of action of Org 9487 with or without reversal: comparison with suxamethonium, CONNOLLY, F. M., *et al.*, (*ARS*) 473P
Antagonists neuromuscular block, neostigmine, Antagonism of pancuronium- and pipecuronium-induced neuromuscular block, GYERMEK, L., *et al.* 410–414
——, Recovery characteristics after early administration of anticholinesterases during intense mivacurium-induced neuromuscular block, ABDULATIF, M. 20–25
——, Time course of action of Org 9487 with or without reversal: comparison with suxamethonium, CONNOLLY, F. M., *et al.*, (*ARS*) 473P
Antagonists neuromuscular block, pyridostigmine, Antagonism of pancuronium- and pipecuronium-induced neuromuscular block, GYERMEK, L., *et al.* 410–414
Antagonists opioid, naloxone, Analgesic and hypnotic effects of subanaesthetic concentrations of xenon in human volunteers: comparison with nitrous oxide, YAGI, M., *et al.* 670–673
Applied Neuromuscular Pharmacology, POLLARD, B. J., (editor), (*R*) 494
Arterial pressure, measurement, Effects of phenylephrine and prostaglandin E_1 on ventriculo–arterial matching during halothane anaesthesia, HOKA, S., *et al.* 438–442
Arteries, mesenteric, Effect of sevoflurane on the vascular reactivity of rabbit mesenteric artery, YAMAGUCHI, A., *et al.* 576–582
Asthma, Lack of bronchodilator effect after administration of subanaesthetic concentration of isoflurane in mild asthmatic subjects challenged with methacholine, MERCIER, F. J., *et al.* 301–305
Ataractics, cannabis, Cannabis as a medicine? DOYLE, E., *et al.*, (*E*) 359–361

Balliere's Clinical Anaesthesiology, vol. 8, No. 2. Muscle Relaxants, GOLDHILL, D. R., *et al.*, (editors), (*R*) 116
Blood, anticoagulants, Heparin and platelet function, BOLDT, J., (*C*) 491
——, Heparin and platelet function, GOWER, S. N., (*C*) 490–491

Blood, anticoagulants, heparin, Heparin and platelet function, BOLDT, J., (*C*) 491
——, Heparin and platelet function, GOWER, S. N., (*C*) 490–491
Blood, antifibrinolytics, tranexamic acid, Tranexamic acid (Cyklokapron) reduces perioperative blood loss associated with total knee arthroplasty, HIIPPALA, S., *et al.* 534–537
Blood, coagulation, Aprotinin in knee replacement surgery, BALL, D. A., (*C*) 243–244
——, Effect of magnesium on coagulation as measured by thrombelastography, JAMES, M. F. M., *et al.* 92–94
——, Endothelial-related coagulation in cardiac surgery, BOLDT, J., *et al.* 174–179
——, Post-reperfusion coagulopathy, BAYLY, P. J. M., (*C*) 629
——, Post-reperfusion coagulopathy, HUGGINS, J., (*C*) 629
——, Thrombelastography reveals two causes of haemorrhage in HELLP syndrome, WHITTA, R. K. S., *et al.* 464–468
Blood, flow, forearm, Effect of cardiopulmonary bypass on hand and forearm blood flow, PAUCA, A. L., *et al.* 287–292
Blood, flow, hand, Effect of cardiopulmonary bypass on hand and forearm blood flow, PAUCA, A. L., *et al.* 287–292
Blood, flow, peripheral, Perioperative plasma endothelin-1 concentrations and vasoconstriction during prolonged plastic surgical procedures, TUOMINEN, H. P., *et al.* 661–666
Blood, haemoglobin, *In vitro* oxyhaemoglobin saturation measurements in haemoglobin solutions using fibreoptic pulmonary artery catheters, KONG, C. S., *et al.* 201–208
Blood, leucocytes, Comparison of the effects of four I.V. anaesthetic agents on polymorphonuclear leucocyte function, DAVIDSON, J. A. H., *et al.* 315–318
Blood, loss, Cerebral blood flow distribution during induced hypotension with haemorrhage, trimetaphan or nitroprusside in rats, TSUTSUI, T., *et al.* 686–690
——, Tranexamic acid (Cyklokapron) reduces perioperative blood loss associated with total knee arthroplasty, HIIPPALA, S., *et al.* 534–537
Blood, platelets, Heparin and platelet function, BOLDT, J., (*C*) 491
——, Heparin and platelet function, GOWER, S. N., (*C*) 490–491
Blood, replacement, Red blood cell substitutes: current status, JONES, J. A. 697–703
Blood, substitutes, *In vitro* oxyhaemoglobin saturation measurements in haemoglobin solutions using fibreoptic pulmonary artery catheters, KONG, C. S., *et al.* 201–208
——, Red blood cell substitutes: current status, JONES, J. A. 697–703
Blood, transfusion, Red blood cell substitutes: current status, JONES, J. A. 697–703
Book Reviews
Anaesthesia Databook. A Clinical Practice Compendium, 2nd Edn, MASON, R. A., (*R*) 494
Applied Neuromuscular Pharmacology, POLLARD, B. J., (editor), (*R*) 494
Balliere's Clinical Anaesthesiology, vol. 8, No. 2. Muscle Relaxants, GOLDHILL, D. R., *et al.*, (editors), (*R*) 116
Case Presentations in Paediatric Anaesthesia and Intensive Care, MORTON, N. S., *et al.*, (*R*) 633
Congrès National d'Anesthésie et de Réanimation: Conférences d'Actualisation, Société Française d'Anesthésie et de Réanimation, (editors), (*R*) 633
Epidurals for Childbirth, MAY, A., (editor), (*R*) 494
Eutectic Mixture of Local Anesthetics (EMLA). A Breakthrough in Skin Anesthesia, KOREN, G., (editor), (*R*) 726
Handbook of Clinical Techniques in the Management of Chronic Pain, WEDLEY, J. R., *et al.*, (*R*) 633
Local and General Anaesthesia for Ophthalmic Surgery, JOHNSON, R. W., *et al.*, (*R*) 116–117
Paediatric Day Case Surgery, MORTON, N. S., *et al.*, (editors), (*R*) 356
Pain: Acute and Chronic, SHIPTON, E. A., (*R*) 494
Pain and Kampo: The Use of Japanese Herbal Medicine in Management of Pain, OYAMA, T., *et al.*, (editors), (*R*) 356
Principles and Practice of Mechanical Ventilation, TOBIN, M. J., (editor), (*R*) 245
Pulse Oximetry, MOYLE, J. T. B., (*R*) 116
The Healing Arts. An Oxford Illustrated Anthology, DOWNIE, R. S., (editor), (*R*) 726
The Oxford Medical Companion, 2nd Edn, WALTAN, J., *et al.*, (editors), (*R*) 245
Brain, anaesthesia, molecular effects, Potency of lipid and protein formulation of 5α-pregnanolone at induction of anaesthesia and the corresponding regional brain distribution, WANG, M. D., *et al.* 553–557
Brain, blood flow, Cerebral blood flow distribution during induced hypotension with haemorrhage, trimetaphan or nitroprusside in rats, TSUTSUI, T., *et al.* 686–690
——, Cerebral blood flow during induced hypotension, MOSS, E., (*E*) 635–637
——, Cerebral pressure autoregulation and carbon dioxide reactivity during propofol-induced EEG suppression, MATTA, B. F., *et al.* 159–163
——, Cerebrovascular effects of arterial desaturation in volunteers, GUPTA, A. K., *et al.*, (*ARS*) 487P
——, Cerebrovascular response to carbon dioxide during sodium nitroprusside- and isoflurane-induced hypotension, MATTA, B. F., *et al.* 296–300
——, Hyperventilation reverses the nitrous oxide-induced increase in cerebral blood flow velocity in human volunteers, HÖRMANN, CH., *et al.* 616–618
——, Isoflurane and desflurane do not dilate the middle cerebral artery appreciably, MATTA, B., *et al.*, (*ARS*) 486–487P
Brain, convulsions, Interactions between opioid drugs and propofol in laboratory models of seizures, AHMAD, I., *et al.* 311–314
Brain, evoked potentials, Auditory evoked responses and near infrared spectroscopy during cardiac arrest, PILKINGTON, S. N., *et al.* 717–719
Brain, injury, Near-infrared spectroscopy in adults, GERMON, T. J., *et al.*, (*C*) 353–354
——, Near-infrared spectroscopy in adults, PICTON, A. J., *et al.*, (*C*) 352–353
Brain, intracranial neoplasm, Clinical presentation of "silent" meningiomas after general anaesthesia, RAZIS, P. A., *et al.* 335–337
Brain, ischaemia, Near-infrared spectroscopy in adults, GERMON, T. J., *et al.*, (*C*) 353–354
——, Near-infrared spectroscopy in adults, PICTON, A. J., *et al.*, (*C*) 352–353

Cancer, Intrabronchial injection, an unusual complication of interpleural analgesia, DUTTA, D., *et al.* 98–99
Carbon dioxide, absorption, Effect of total flow rate on the concentration of degradation products generated by reaction between sevoflurane and soda lime, BITO, H., *et al.* 667–669
Carbon dioxide, elimination, Is post-laparoscopy pain related to residual carbon dioxide volume? JACKSON, S. A., *et al.*, (*ARS*) 477P
Carbon dioxide, partial pressure, In dead-space studies, capnograph and blood-gas analyser should be cross-calibrated with the same gas, FLETCHER, R., (*ARS*) 485–486P
Cardiovascular system, effects, Cardiovascular effects of ephedrine during anaesthesia and tracheal intubation with propofol, VALLANCE, H., *et al.*, (*ARS*) 478–479P
——, Cardiovascular responses to graded doses of three catecholamines during lactic and hydrochloric acidosis in dogs, HUANG, Y.-G., *et al.* 583–590
——, Comparison of the haemodynamic effects of dopamine and dobutamine in young children undergoing cardiac surgery, BOOKER, P. D., *et al.* 419–423
——, Comparison of the haemodynamic effects of mivacurium and atracurium during fentanyl anaesthesia, LOAN, P. B., *et al.* 330–332
——, Haemodynamic and catecholamine responses to induction of anaesthesia and tracheal intubation in diabetic and non-diabetic uraemic patients, KIRVELÄ, M., *et al.* 60–65
——, Haemodynamic effects of subarachnoid block in the elderly, COE, A. J., (*C*) 244
——, Haemodynamic effects of subarachnoid block in the elderly, CRITCHLEY, L. A. H., *et al.*, (*C*) 349
——, Haemodynamic effects of subarachnoid block in the elderly, LAMB, F. J., (*C*) 349
——, Haemodynamic effects of subarachnoid block in the elderly, SHORT, T., *et al.*, (*C*) 244
——, Hypotension during subarachnoid anaesthesia: haemodynamic effects of ephedrine, CRITCHLEY, L. A. H., *et al.* 373–378
Case Presentations in Paediatric Anaesthesia and Intensive Care, MORTON, N. S., *et al.*, (*R*) 633
Cat, Opioid inhibition of rapid eye movement sleep by a specific mu receptor agonist, CRONIN, A., *et al.* 188–192
Children, Pharmacodynamic effects of 51W89, an isomer of atracurium, in children during halothane anaesthesia, MERETOJA, O. A., *et al.* 6–11
——, Propofol pharmacokinetics in children with biliary atresia, RAOOF, A. A., *et al.* 46–49
Complications, akathisia, Akathisia after low-dose droperidol, FOSTER, P. N., *et al.*, (*ARS*) 477P
Complications, aspiration, Risk of aspiration with the laryngeal mask, AKHTAR, T., (*C*) 239
——, Risk of aspiration with the laryngeal mask, ÓHAISEADHA, C., (*C*) 239

Complications, bronchospasm, Lack of bronchodilator effect after administration of subanaesthetic concentration of isoflurane in mild asthmatic subjects challenged with methacholine, MERCIER, F. J., *et al.* 301–305
Complications, cardiac arrest, Intraoperative cardiac arrest after unrecognized dynamic hyperinflation, MYLES, P. S., *et al.* 340–342
Complications, coagulopathy, Endothelial-related coagulation in cardiac surgery, BOLDT, J., *et al.* 174–179
——, Post-reperfusion coagulopathy, BAYLY, P. J. M., (*C*) 629
——, Post-reperfusion coagulopathy, HUGGINS, J., (*C*) 629
Complications, compartment syndrome, Upper limb compartment syndromes: a complication of malignant hyperthermia in a patient with ill-defined myopathy, O'DONNELL, C. J., *et al.* 343–344
Complications, death, Cardiovascular consequences of severe hypophosphataemia in brain-dead patients, RIOU, B., *et al.* 424–429
Complications, diabetes, Effect of severity of surgery on metabolic control and insulin requirements in insulin-dependent diabetic patients, RAUCOULES-AIMÉ, M., *et al.* 231–233
——, Haemodynamic and catecholamine responses to induction of anaesthesia and tracheal intubation in diabetic and non-diabetic uraemic patients, KIRVELÄ, M., *et al.* 60–65
——, Metabolic control of non-insulin-dependent diabetic patients undergoing cataract surgery: comparison of local and general anaesthesia, BARKER, J. P., *et al.* 500–505
Complications, embolism, Prevention of venous air embolism: are humans like sheep? MEYER, P., (*C*) 723
——, Prevention of venous air embolism: are humans like sheep? PFITZNER, J., (*C*) 722–723
Complications, fistula, Right upper lobectomy in a patient with an iatrogenic tracheo–oesophageal fistula after laryngectomy, BUCHANAN, C. C. R., *et al.* 461–463
Complications, hearing loss, Auditory disturbance associated with interscalene brachial plexus block, ROSENBERG, P. H., *et al.* 89–91
Complications, hernia, Echocardiography and chest trauma, FLEYFEL, M., *et al.*, (*C*) 114
——, Echocardiography and chest trauma, KENNEDY, N. J., *et al.*, (*C*) 114
Complications, hypophosphataemia, Cardiovascular consequences of severe hypophosphataemia in brain-dead patients, RIOU, B., *et al.* 424–429
Complications, hypotension, Hypotension during subarachnoid anaesthesia: haemodynamic effects of ephedrine, CRITCHLEY, L. A. H., *et al.* 373–378
——, Prophylactic i.m. ephedrine in bupivacaine spinal anaesthesia, STERNLO, J.-E., *et al.* 517–520
Complications, inhalation anaesthesia, Effect of total flow rate on the concentration of degradation products generated by reaction between sevoflurane and soda lime, BITO, H., *et al.* 667–669
Complications, intubation tracheal, Accidental oesophageal intubation, CLYBURN, P., *et al.*, (*C*) 242–243
——, Accidental oesophageal intubation, MALECK, W., *et al.*, (*C*) 242
——, Accidental oesophageal intubation, RUSSELL, W. J., (*C*) 242
——, Airway management for tracheal tear, SUN, K. O., (*C*) 347
Complications, meningitis, Meningitis after combined spinal–extradural anaesthesia in obstetrics, HARDING, S. A., *et al.*, (*C*) 351
——, Meningitis after combined spinal–extradural anaesthesia in obstetrics, HARDING, S. A., *et al.*, (*C*) 352
——, Meningitis after combined spinal–extradural anaesthesia in obstetrics, SINTON, R. I., (*C*) 351–352
——, Meningitis after combined spinal–extradural anaesthesia in obstetrics, WEE, M., (*C*) 351
Complications, morbidity, Comparison of two different scoring systems for predicting outcome after cardiac surgery, STEDMON, J., *et al.*, (*ARS*) 478P
——, Minor morbidity after day-case laparoscopy and the influence of droperidol 0.5 mg: a 1 month study, WATKINS, S., *et al.*, (*ARS*) 478P
Complications, myopathy, Upper limb compartment syndromes: a complication of malignant hyperthermia in a patient with ill-defined myopathy, O'DONNELL, C. J., *et al.* 343–344
Complications, myotonias, Myotonic dystrophy and target-controlled propofol infusions, RUSSELL, S. H., (*C*) 110
——, Myotonic dystrophy and target-controlled propofol infusions, TZABAR, Y., *et al.*, (*C*) 109–110
Complications, neuropathy, Transient radicular irritation after spinal anaesthesia with hyperbaric 5% lignocaine, TARKKILA, P., *et al.* 328–329
Complications, pre-eclampsia, Free radical generation in pre-eclamptic and normotensive pregnancies, KELLOW, N. H., *et al.*, (*ARS*) 474–475P
Complications, renal, Effect of renal function on neuromuscular block induced by continuous infusion of mivacurium, BLOBNER, M., *et al.* 452–454
——, Pharmacodynamics of the 1R *cis*-1'R *cis* isomer of atracurium (51W89) in health and chronic renal failure, BOYD, A. H., *et al.* 400–404
Complications, sepsis, Cytokines and sepsis: time for reappraisal, YENTIS, S. M., (*E*) 119–120
Complications, septicaemia, Plasma antioxidant potential in patients with severe sepsis: comparison of survivors and non-survivors, COWLEY, H. C., *et al.*, (*ARS*) 476P
Complications, stenosis, Anaesthetic management of a 656-g neonate undergoing pulmonary valvotomy, NISHIDA, T., *et al.* 95–97
Complications, subarachnoid cannulation, Retrograde cannulation of the jugular vein: erroneous positioning of the catheter in the subarachnoid space, FUMAGALLI, P., *et al.* 345–346
Complications, uraemia, Haemodynamic and catecholamine responses to induction of anaesthesia and tracheal intubation in diabetic and non-diabetic uraemic patients, KIRVELÄ, M., *et al.* 60–65
Computers, Anaesthesia datasets, LACK, J. A., (*C*) 239
——, Anaesthesia datasets, TWIST, A., (*C*) 239
——, Arterial pressure control with isoflurane using fuzzy logic, ZBINDEN, A. M., *et al.* 66–72
Congrès National d'Anesthésie et de Réanimation: Conférences d'Actualisation, Société Française d'Anesthésie et de Réanimation, (editors), (*R*) 633
Cough, Relationship of peak flow rate and peak velocity time during voluntary coughing, SINGH, P., *et al.* 714–716

Diabetes, Metabolic control of non-insulin-dependent diabetic patients undergoing cataract surgery: comparison of local and general anaesthesia, BARKER, J. P., *et al.* 500–505
Dog, ATP sparing effect of isoflurane during ischaemia and reperfusion of the canine heart, KANAYA, N., *et al.* 563–568
——, Cardiovascular responses to graded doses of three catecholamines during lactic and hydrochloric acidosis in dogs, HUANG, Y.-G., *et al.* 583–590
——, Effects of phenylephrine and prostaglandin E_1 on ventriculo–arterial matching during halothane anaesthesia, HOKA, S., *et al.* 438–442
——, Regional left ventricular diastolic function under inhalation anaesthesia in dogs, MUÑOZ, H. R., *et al.*, (*ARS*) 479P
Drug delivery, Nitric oxide delivery system, GILLY, H., *et al.*, (*C*) 630–631
——, Nitric oxide delivery system, KELLY, K. P., *et al.*, (*C*) 630
——, Nitric oxide delivery system, YOUNG, J. D., (*C*) 631

Education, Departmental guides for anaesthetic emergencies, HEATH, M. L., (*ARS*) 484P
Embolism, air, Prevention of venous air embolism: are humans like sheep? MEYER, P., (*C*) 723
——, Prevention of venous air embolism: are humans like sheep? PFITZNER, J., (*C*) 722–723
Enzymes, cholinesterase, Mivacurium-induced prolonged neuromuscular block, SOCKALINGAM, I., *et al.* 234–236
——, Prolonged neuromuscular block associated with mivacurium, FOX, M. H., *et al.* 237–238
Enzymes, cytochrome P450, Human cytochrome P450 mono-oxygenase system is suppressed by propofol, CHEN, T. L., *et al.* 558–562
Enzymes, glutathione S-transferase, Hepatic glutathione S-transferase concentrations during and after brief anaesthesia in children, LYONS, J. D. M., *et al.*, (*ARS*) 483–484P
Epidurals for Childbirth, MAY, A., (editor), (*R*) 494
Equipment, breathing systems, Degradation products of sevoflurane during low-flow anaesthesia, BITO, H., *et al.* 56–59
——, Fractional delivery as a predictor of end-tidal carbon dioxide concentration during controlled ventilation in adults, BARRIE, J. R., *et al.*, (*ARS*) 485P
——, Fresh gas flow rate and enflurane consumption, COTTER, S. M., *et al.*, (*C*) 627
——, Fresh gas flow rate and enflurane consumption, LOGAN, M., (*C*) 627
Equipment, catheters, *In vitro* oxyhaemoglobin saturation measurements in haemoglobin solutions using fibreoptic pulmonary artery catheters, KONG, C. S., *et al.* 201–208
Equipment, catheters extradural, Removal of lumbar extradural catheters, BOEY, S. K., *et al.*, (*C*) 722

——, Removal of lumbar extradural catheters, MORRIS, G. N., (*C*) 722
Equipment, infusion systems, Viscosities of commonly infused substances, GOODIE, D. B., *et al.*, (*C*) 491–492
Equipment, laryngoscopes, Rechargeable Optima laryngoscopes, ALEXANDER, P. D., *et al.*, (*C*) 724–725
Equipment, masks anaesthesia, Cricoid pressure impedes placement of the laryngeal mask airway, ASAI, T., *et al.* 521–525
——, Reflux during positive pressure ventilation via the laryngeal mask airway? BRAIN, A. I. J., *et al.*, (*C*) 489–490
——, Reflux during positive pressure ventilation via the laryngeal mask airway? VALENTINE, J. M. J., *et al.*, (*C*) 490
——, Risk of aspiration with the laryngeal mask, AKHTAR, T., (*C*) 239
——, Risk of aspiration with the laryngeal mask, ÓhAISEADHA, C., (*C*) 239
——, Total i.v. anaesthesia with propofol and the laryngeal mask for orthopaedic surgery, DYER, R. A., *et al.* 123–128
Equipment, MAST suit, Prevention of venous air embolism: are humans like sheep? MEYER, P., (*C*) 723
——, Prevention of venous air embolism: are humans like sheep? PFITZNER, J., (*C*) 722–723
Equipment, thermocouple, Measurement of expired air temperature in patients under general anaesthesia, SMURTHWAITE, G. J., *et al.*, (*ARS*) 472–473P
Equipment, vaporizers, Overfill testing of anaesthetic vaporizers, PALAYIWA, E., *et al.* 100–103
Equipment, ventilators, Use of the Hayek oscillator in a case of failed fibreoptic intubation, BROOMHEAD, C. J., *et al.* 720–721
Equipment, warming devices, Prevention of hypothermia during orthotopic liver transplantation: comparison of three different intraoperative warming methods, RUSSELL, S. H., *et al.* 415–418
Eutectic Mixture of Local Anesthetics (EMLA). A Breakthrough in Skin Anesthesia, KOREN, G., (editor), (*R*) 726
Explosions, Fires and explosions, MACDONALD, A. G., (*C*) 110–111
——, Fires and explosions, MORRIS, L. E., (*C*) 110

Free radicals, Effect of carotid endarterectomy on plasma antioxidant potential and free radical production, GUPTA, A. K., *et al.*, (*ARS*) 475–476P
——, Free radical generation in pre-eclamptic and normotensive pregnancies, KELLOW, N. H., *et al.*, (*ARS*) 474–475P
——, Free-radical-induced redox changes to haemoglobin and their modification by propofol, STRATFORD, N., *et al.*, (*ARS*) 475P

Gases, non-anaesthetic, nitric oxide, Effective absorption of nitrogen dioxide with soda lime, ISHIBE, Y., *et al.*, (*C*) 108–109
——, Effective absorption of nitrogen dioxide with soda lime, PICKETT, J. A., *et al.*, (*C*) 108–109
Gastrointestinal tract, emptying, Normal postoperative gastric emptying after orthopaedic surgery with spinal anaesthesia and i.m. ketorolac as the first postoperative analgesic, PETRING, O. U., *et al.* 257–260
——, Pilot study of paracetamol absorption in a group of intensive care patients, TARLING, M. M., *et al.*, (*ARS*) 476–477P
Gastrointestinal tract, mucosal perfusion, Gastric mucosal pH does not reflect changes in splanchnic blood flow after cardiac surgery, UUSARO, A., *et al.* 149–154
Gastrointestinal tract, pH, Dobutamine-induced dissociation between changes in splanchnic blood flow and gastric intramucosal pH after cardiac surgery, PARVIAINEN, I., *et al.* 277–282
——, Effects of oral nizatidine on preoperative gastric fluid pH and volume in children, COTÉ, C. J., (*C*) 491
——, Gastric intramucosal pH, tissue oxygenation and acid–base balance, FIDDIAN-GREEN, R. G. 591–606
——, Gastric mucosal pH does not reflect changes in splanchnic blood flow after cardiac surgery, UUSARO, A., *et al.* 149–154
——, Lansoprazole in the prophylaxis of acid aspiration during elective surgery, HETT, D. A., *et al.* 614–615
——, Reflux during positive pressure ventilation via the laryngeal mask airway? BRAIN, A. I. J., *et al.*, (*C*) 489–490
——, Reflux during positive pressure ventilation via the laryngeal mask airway? VALENTINE, J. M. J., *et al.*, (*C*) 490
Gastrointestinal tract, reflux, Reflux during positive pressure ventilation via the laryngeal mask airway? BRAIN, A. I. J., *et al.*, (*C*) 489–490
——, Reflux during positive pressure ventilation via the laryngeal mask airway? VALENTINE, J. M. J., *et al.*, (*C*) 490
Gastrointestinal tract, volume, Effects of oral nizatidine on preoperative gastric fluid pH and volume in children, COTÉ, C. J., (*C*) 491
——, Lansoprazole in the prophylaxis of acid aspiration during elective surgery, HETT, D. A., *et al.* 614–615

Handbook of Clinical Techniques in the Management of Chronic Pain, WEDLEY, J. R., *et al.*, (*R*) 633
Heart, cardiac output, Comparison of three methods of cardiac output measurement, ANDREWS, P. J. D., *et al.*, (*ARS*) 480P
Heart, cardiopulmonary bypass, Continuous infusion of nimodipine during coronary artery surgery: haemodynamic and pharmacokinetic study, HYNYNEN, M., *et al.* 526–533
——, Effect of cardiopulmonary bypass on hand and forearm blood flow, PAUCA, A. L., *et al.* 287–292
——, Endothelial-related coagulation in cardiac surgery, BOLDT, J., *et al.* 174–179
——, Gastric mucosal pH does not reflect changes in splanchnic blood flow after cardiac surgery, UUSARO, A., *et al.* 149–154
——, Tracheal tube cuff pressure during cardiac surgery using cardiopulmonary bypass, INADA, T., *et al.* 283–286
Heart, dobutamine, Comparison of the haemodynamic effects of dopamine and dobutamine in young children undergoing cardiac surgery, BOOKER, P. D., *et al.* 419–423
——, Dobutamine-induced dissociation between changes in splanchnic blood flow and gastric intramucosal pH after cardiac surgery, PARVIAINEN, I., *et al.* 277–282
Heart, dopamine, Comparison of the haemodynamic effects of dopamine and dobutamine in young children undergoing cardiac surgery, BOOKER, P. D., *et al.* 419–423
Heart, heart rate, Effects of propofol and thiopentone, and benzodiazepine premedication on heart rate variability measured by spectral analysis, HOWELL, S. J., *et al.* 168–173
——, Posture and autonomic cardiac control, GALLETLY, D. C., *et al.*, (*C*) 629
——, Posture and autonomic cardiac control, KARDOS, A., *et al.*, (*C*) 628–629
Heart, ischaemia, ATP sparing effect of isoflurane during ischaemia and reperfusion of the canine heart, KANAYA, N., *et al.* 563–568
——, Comparative effects of halothane, enflurane, isoflurane and sevoflurane on function and metabolism in the ischaemic rat heart, OGUCHI, T., *et al.* 569–575
——, Perioperative myocardial ischaemia in patients undergoing transurethral surgery: a pilot study comparing general with spinal anaesthesia, EDWARDS, N. D., *et al.* 368–372
Heart, isolated preparation, Comparative effects of halothane, enflurane, isoflurane and sevoflurane on function and metabolism in the ischaemic rat heart, OGUCHI, T., *et al.* 569–575
Heart, myocardial function, Cardiovascular consequences of severe hypophosphataemia in brain-dead patients, RIOU, B., *et al.* 424–429
——, Effects of phenylephrine and prostaglandin E_1 on ventriculo–arterial matching during halothane anaesthesia, HOKA, S., *et al.* 438–442
——, Regional left ventricular diastolic function under inhalation anaesthesia in dogs, MUÑOZ, H. R., *et al.*, (*ARS*) 479P
Heart, nimodipine, Continuous infusion of nimodipine during coronary artery surgery: haemodynamic and pharmacokinetic study, HYNYNEN, M., *et al.* 526–533
Heart, resuscitation, Auditory evoked responses and near infrared spectroscopy during cardiac arrest, PILKINGTON, S. N., *et al.* 717–719
Heart, tamponade, Echocardiography and chest trauma, FLEYFEL, M., *et al.*, (*C*) 114
——, Echocardiography and chest trauma, KENNEDY, N. J., *et al.*, (*C*) 114
HELLP syndrome, Thrombelastography reveals two causes of haemorrhage in HELLP syndrome, WHITTA, R. K. S., *et al.* 464–468
Histamine, Histaminoid reactions in anaesthesia, MCKINNON, R. P., *et al.* 217–228
——, Radioimmunoassay for plasma histamine: a study of false positive and false negative values, LAROCHE, D., *et al.* 430–437
History, anaesthesia, Fires and explosions, MACDONALD, A. G., (*C*) 110–111
——, Fires and explosions, MORRIS, L. E., (*C*) 110
Hormones, corticosteroid, Metabolic control of non-insulin-dependent diabetic patients undergoing cataract surgery: comparison of local and general anaesthesia, BARKER, J. P., *et al.* 500–505

Hormones, insulin, Metabolic control of non-insulin-dependent diabetic patients undergoing cataract surgery: comparison of local and general anaesthesia, BARKER, J. P., *et al.* 500–505
Hormones, prostaglandins, Effects of phenylephrine and prostaglandin E_1 on ventriculo–arterial matching during halothane anaesthesia, HOKA, S., *et al.* 438–442
Hypothermia, Prevention of hypothermia during orthotopic liver transplantation: comparison of three different intraoperative warming methods, RUSSELL, S. H., *et al.* 415–418
Hypoxaemia, Comparison of three devices for oxygen administration in the late postoperative period, STAUSHOLM, K., *et al.* 607–609
Hypoxia, Cerebrovascular effects of arterial desaturation in volunteers, GUPTA, A. K., *et al.*, (*ARS*) 487P
——, Interaction of the effects of domperidone and sub-anaesthetic concentrations of isoflurane on the immediate and sustained hypoxic ventilatory response in humans, FOO, I. T., *et al.* 134–140

Intensive care, Gastric intramucosal pH, tissue oxygenation and acid–base balance, FIDDIAN-GREEN, R. G. 591–606
Intubation endobronchial, Tracheal anaesthesia for transthoracic endoscopic sympathectomy: an alternative to endobronchial anaesthesia, OLSFANGER, D., *et al.* 141–144
Intubation nasotracheal, complications, Effectiveness and sequelae of very low-dose suxamethonium for nasal intubation, NIMMO, S. M., *et al.* 31–34
Intubation tracheal, Cardiovascular effects of ephedrine during anaesthesia and tracheal intubation with propofol, VALLANCE, H., *et al.*, (*ARS*) 478–479P
——, Increase in Mallampati score during pregnancy, PILKINGTON, S., *et al.* 638–642
——, Tracheal tube cuff pressure during cardiac surgery using cardiopulmonary bypass, INADA, T., *et al.* 283–286
Intubation tracheal, complications, Accidental oesophageal intubation, CLYBURN, P., *et al.*, (*C*) 242–243
——, Accidental oesophageal intubation, MALECK, W., *et al.*, (*C*) 242
——, Accidental oesophageal intubation, RUSSELL, W. J., (*C*) 242
——, Airway management for tracheal tear, SUN, K. O., (*C*) 347
Intubation tracheal, difficult, Cricoid pressure impedes placement of the laryngeal mask airway, ASAI, T., *et al.* 521–525
——, Prediction of difficult tracheal intubation, BELLHOUSE, C. P., (*C*) 490
——, Prediction of difficult tracheal intubation, DELILKAN, A. E., (*C*) 243
——, Prediction of difficult tracheal intubation, SAVVA, D., (*C*) 243
——, Prediction of difficult tracheal intubation, SAVVA, D., (*C*) 490
——, Use of the Hayek oscillator in a case of failed fibreoptic intubation, BROOMHEAD, C. J., *et al.* 720–721
Intubation tracheal, responses, Haemodynamic and catecholamine responses to induction of anaesthesia and tracheal intubation in diabetic and non-diabetic uraemic patients, KIRVELÄ, M., *et al.* 60–65
Ions, ion channels, Selective effects of ketamine on amino acid-mediated pathways in neonatal rat spinal cord, BROCKMEYER, D. M., *et al.* 79–84
Ions, magnesium, Effect of magnesium on coagulation as measured by thrombelastography, JAMES, M. F. M., *et al.* 92–94
——, Interaction of magnesium sulphate with vecuronium-induced neuromuscular block, FUCHS-BUDER, T., *et al.* 405–409
Ions, phosphate, Cardiovascular consequences of severe hypophosphataemia in brain-dead patients, RIOU, B., *et al.* 424–429

Larynx, anatomy, Relationship of peak flow rate and peak velocity time during voluntary coughing, SINGH, P., *et al.* 714–716
Larynx, cricoid pressure, Cricoid pressure impedes placement of the laryngeal mask airway, ASAI, T., *et al.* 521–525
Larynx, laryngoscopy, Prediction of difficult tracheal intubation, BELLHOUSE, C. P., (*C*) 490
——, Prediction of difficult tracheal intubation, DELILKAN, A. E., (*C*) 243
——, Prediction of difficult tracheal intubation, SAVVA, D., (*C*) 243
——, Prediction of difficult tracheal intubation, SAVVA, D., (*C*) 490
Liver, blood flow, Comparison of the effects of sevoflurane, isoflurane and halothane on indocyanine green clearance, KANAYA, N., *et al.* 164–167
Liver, disease, Propofol pharmacokinetics in children with biliary atresia, RAOOF, A. A., *et al.* 46–49
Liver, function, Hepatic glutathione S-transferase concentrations during and after brief anaesthesia in children, LYONS, J. D. M., *et al.*, (*ARS*) 483–484P
Liver, microsomes, Human cytochrome P450 mono-oxygenase system is suppressed by propofol, CHEN, T. L., *et al.* 558–562
Liver, transplantation, Post-reperfusion coagulopathy, BAYLY, P. J. M., (*C*) 629
——, Post-reperfusion coagulopathy, HUGGINS, J., (*C*) 629
——, Prevention of hypothermia during orthotopic liver transplantation: comparison of three different intraoperative warming methods, RUSSELL, S. H., *et al.* 415–418
Local and General Anaesthesia for Ophthalmic Surgery, JOHNSON, R. W., *et al.*, (*R*) 116–117
Lung, blood flow, Effects of isoflurane on regional pulmonary blood flow during one-lung ventilation, GROH, J., *et al.* 209–216
Lung, function, Pulmonary function and head lift during spontaneous recovery from pipecuronium neuromuscular block, EL MIKATTI, N., *et al.* 16–19
Lung, hyperinflation, Intraoperative cardiac arrest after unrecognized dynamic hyperinflation, MYLES, P. S., *et al.* 340–342
Lung, metabolic function, First-pass pulmonary retention of sufentanil at three different background blood concentrations of the opioid, BOER, F., *et al.* 50–55
Lung, pathophysiology, Inhaled nitric oxide in acute respiratory failure, JENKINS, J. R., (*C*) 354
——, Inhaled nitric oxide in acute respiratory failure, YOUNG, J. D., (*C*) 354
Lung, shunting, Non-invasive estimation of venous admixture: validation of a new formula, HOPE, D. A., *et al.* 538–543
Lung, trachea, Effects of morphine on human nasal cilia beat frequency *in vitro*, RAPHAEL, J. H., *et al.*, (*ARS*) 484–485P
——, Tracheal tube cuff pressure during cardiac surgery using cardiopulmonary bypass, INADA, T., *et al.* 283–286

Malignant hyperthermia, Upper limb compartment syndromes: a complication of malignant hyperthermia in a patient with ill-defined myopathy, O'DONNELL, C. J., *et al.* 343–344
Measurement techniques, carbon dioxide, In dead-space studies, capnograph and blood-gas analyser should be cross-calibrated with the same gas, FLETCHER, R., (*ARS*) 485–486P
Measurement techniques, cardiac output, Comparison of three methods of cardiac output measurement, ANDREWS, P. J. D., *et al.*, (*ARS*) 480P
——, Continuous measurement of cardiac output during aortic cross-clamping by the oesophageal Doppler monitor ODM 1, KLOTZ, K.-F., *et al.* 655–660
Measurement techniques, Doppler echocardiography, Continuous measurement of cardiac output during aortic cross-clamping by the oesophageal Doppler monitor ODM 1, KLOTZ, K.-F., *et al.* 655–660
——, Echocardiography and chest trauma, FLEYFEL, M., *et al.*, (*C*) 114
——, Echocardiography and chest trauma, KENNEDY, N. J., *et al.*, (*C*) 114
Measurement techniques, electromyography, Interaction of magnesium sulphate with vecuronium-induced neuromuscular block, FUCHS-BUDER, T., *et al.* 405–409
——, Pulmonary function and head lift during spontaneous recovery from pipecuronium neuromuscular block, EL MIKATTI, N., *et al.* 16–19
Measurement techniques, gas exchange, Breath-by-breath analysis of oxygen uptake using the Datex Ultima, BARNARD, J. P. M., *et al.* 155–158
Measurement techniques, lung shunting, Non-invasive estimation of venous admixture: validation of a new formula, HOPE, D. A., *et al.* 538–543
Measurement techniques, neuromuscular block, Time taken for stabilization of muscle twitch does not necessarily affect onset and offset times of atracurium, RÉDAI, I., *et al.*, (*ARS*) 474P
Measurement techniques, oximeters, Near-infrared spectroscopy in adults, GERMON, T. J., *et al.*, (*C*) 353–354
——, Near-infrared spectroscopy in adults, PICTON, A. J., *et al.*, (*C*) 352–353
Measurement techniques, radioimmunoassay, Radioimmunoassay for plasma histamine: a study of false

positive and false negative values, LAROCHE, D., *et al.* 430–437
Measurement techniques, refractometry, Determination of anaesthetic agent concentration by refractometry, ALLISON, J. M., *et al.* 85–88
Measurement techniques, spectral analysis, Effects of propofol and thiopentone, and benzodiazepine premedication on heart rate variability measured by spectral analysis, HOWELL, S. J., *et al.* 168–173
Measurement techniques, spectroscopy, Auditory evoked responses and near infrared spectroscopy during cardiac arrest, PILKINGTON, S. N., *et al.* 717–719
Measurement techniques, temperature, Measurement of expired air temperature in patients under general anaesthesia, SMURTHWAITE, G. J., *et al.*, (*ARS*) 472–473P
Measurement techniques, thermodilution, Comparison of three methods of cardiac output measurement, ANDREWS, P. J. D., *et al.*, (*ARS*) 480P
Measurement techniques, thrombelastography, Effect of magnesium on coagulation as measured by thrombelastography, JAMES, M. F. M., *et al.* 92–94
——, Thrombelastography reveals two causes of haemorrhage in HELLP syndrome, WHITTA, R. K. S., *et al.* 464–468
Measurement techniques, transthoracic electrical impedance, Haemodynamic effects of subarachnoid block in the elderly, COE, A. J., (*C*) 244
——, Haemodynamic effects of subarachnoid block in the elderly, SHORT, T., *et al.*, (*C*) 244
Measurement techniques, tussometry, Relationship of peak flow rate and peak velocity time during voluntary coughing, SINGH, P., *et al.* 714–716
Medicolegal, Accidental oesophageal intubation, CLYBURN, P., *et al.*, (*C*) 242–243
——, Accidental oesophageal intubation, MALECK, W., *et al.*, (*C*) 242
——, Accidental oesophageal intubation, RUSSELL, W. J., (*C*) 242
——, Mishap or negligence, KITCHING, A., *et al.*, (*C*) 111–112
Memory, The P300 event-related potential during propofol sedation: a possible marker for amnesia? REINSEL, R. A., *et al.* 674–680
Metabolism, ATP, ATP sparing effect of isoflurane during ischaemia and reperfusion of the canine heart, KANAYA, N., *et al.* 563–568
Metabolism, fasting, Preoperative fasting for paediatric anaesthesia, WEAVER, M. K., (*C*) 349
Metabolism, fluoride, Effect of cimetidine on isoflurane metabolism during prolonged anaesthesia, LUNEY, S. R., *et al.*, (*ARS*) 482–483P
Metabolism, glucose, Effect of severity of surgery on metabolic control and insulin requirements in insulin-dependent diabetic patients, RAUCOULES-AIMÉ, M., *et al.* 231–233
——, Metabolic control of non-insulin-dependent diabetic patients undergoing cataract surgery: comparison of local and general anaesthesia, BARKER, J. P., *et al.* 500–505
Metabolism, insulin, Effect of severity of surgery on metabolic control and insulin requirements in insulin-dependent diabetic patients, RAUCOULES-AIMÉ, M., *et al.* 231–233
Model, computer simulation, Arterial pressure control with isoflurane using fuzzy logic, ZBINDEN, A. M., *et al.* 66–72
Model, mouse, Interactions between opioid drugs and propofol in laboratory models of seizures, AHMAD, I., *et al.* 311–314
Model, neuroblastoma cells, Is ketamine a voltage-sensitive Ca^{2+} channel blocker? LAMBERT, D. G., *et al.*, (*ARS*) 483P
Model, neuropathy, Effect of different pre-emptive treatments on long-term neuropeptide expression in the dorsal root ganglia in a model of neuropathic pain, MUNGLANI, R., *et al.*, (*ARS*) 482P
Monitoring, depth of anaesthesia, The P300 event-related potential during propofol sedation: a possible marker for amnesia? REINSEL, R. A., *et al.* 674–680
Monitoring, electroencephalography, Visually evoked bursts during isoflurane anaesthesia, HARTIKAINEN, K., *et al.* 681–685
Monitoring, evoked potentials, Auditory evoked responses and near infrared spectroscopy during cardiac arrest, PILKINGTON, S. N., *et al.* 717–719
——, The P300 event-related potential during propofol sedation: a possible marker for amnesia? REINSEL, R. A., *et al.* 674–680
Monitoring, neuromuscular function, Onset of neuromuscular block is the same if the ipsilateral or contralateral limb to the injection site is used for monitoring, MERLE, J. C., *et al.* 333–334
——, Post-tetanic burst: a new monitoring method for intense neuromuscular block, SAITOH, Y., *et al.* 293–295
Monitoring, pH gastric, Gastric intramucosal pH, tissue oxygenation and acid–base balance, FIDDIAN-GREEN, R. G. 591–606
Monitoring, temperature, Prevention of hypothermia during orthotopic liver transplantation: comparison of three different intraoperative warming methods, RUSSELL, S. H., *et al.* 415–418
Mouse, Interactions between opioid drugs and propofol in laboratory models of seizures, AHMAD, I., *et al.* 311–314
Muscle, skeletal, Myotonic dystrophy and target-controlled propofol infusions, RUSSELL, S. H., (*C*) 110
——, Myotonic dystrophy and target-controlled propofol infusions, TZABAR, Y., *et al.*, (*C*) 109–110

Neonates, Anaesthetic management of a 656-g neonate undergoing pulmonary valvotomy, NISHIDA, T., *et al.* 95–97
Nerve, transmission, Selective effects of ketamine on amino acid-mediated pathways in neonatal rat spinal cord, BROCKMEYER, D. M., *et al.* 79–84
Neuromuscular block, Neuromuscular block and tourniquets, KUMAR, C. M., (*C*) 492
Neuromuscular block, 51W89, Is 51W89 an improvement compared with atracurium? MILLER, R. D., (*E*) 1–2
——, Pharmacodynamic effects of 51W89, an isomer of atracurium, in children during halothane anaesthesia, MERETOJA, O. A., *et al.* 6–11
——, Pharmacodynamics of the 1R *cis*-1′R *cis* isomer of atracurium (51W89) in health and chronic renal failure, BOYD, A. H., *et al.* 400–404
Neuromuscular block, antagonism, Antagonism of pancuronium- and pipecuronium-induced neuromuscular block, GYERMEK, L., *et al.* 410–414
——, Low and high frequency stimulation tests to characterize the effects of edrophonium on vecuronium-induced neuromuscular block, BAURAIN, M. J., *et al.* 12–15
Neuromuscular block, atracurium, Comparison of duration of neuromuscular blocking effect of atracurium and vecuronium in young and elderly patients, SLAVOV, V., *et al.* 709–711
——, Comparison of the haemodynamic effects of mivacurium and atracurium during fentanyl anaesthesia, LOAN, P. B., *et al.* 330–332
——, Is 51W89 an improvement compared with atracurium? MILLER, R. D., (*E*) 1–2
——, Neuromuscular block and tourniquets, HARRIS, P. H. P., (*C*) 355
——, Onset of neuromuscular block is the same if the ipsilateral or contralateral limb to the injection site is used for monitoring, MERLE, J. C., *et al.* 333–334
——, Pharmacodynamic effects of 51W89, an isomer of atracurium, in children during halothane anaesthesia, MERETOJA, O. A., *et al.* 6–11
——, Pharmacodynamics of the 1R *cis*-1′R *cis* isomer of atracurium (51W89) in health and chronic renal failure, BOYD, A. H., *et al.* 400–404
——, Time taken for stabilization of muscle twitch does not necessarily affect onset and offset times of atracurium, RÉDAI, I., *et al.*, (*ARS*) 474P
Neuromuscular block, decamethonium, Influence of cold on the recovery of vecuronium and decamethonium in humans, ENGLAND, A. J., *et al.*, (*ARS*) 473P
Neuromuscular block, measurement of response, Antagonism of mivacurium block with edrophonium from various degrees of spontaneous recovery, CONNOLLY, F. M., *et al.* 229–230
——, Dexmedetomidine does not modify the neuromuscular blocking action of vecuronium in the anaesthetized rat, WEINGER, M. B., *et al.* 455–457
——, Dose–response studies of the interaction between mivacurium and suxamethonium, NAGUIB, M., *et al.* 26–30
——, Low and high frequency stimulation tests to characterize the effects of edrophonium on vecuronium-induced neuromuscular block, BAURAIN, M. J., *et al.* 12–15
——, Onset of neuromuscular block is the same if the ipsilateral or contralateral limb to the injection site is used for monitoring, MERLE, J. C., *et al.* 333–334
——, Pulmonary function and head lift during spontaneous recovery from pipecuronium neuromuscular block, EL MIKATTI, N., *et al.* 16–19
——, Time taken for stabilization of muscle twitch does not necessarily affect onset and offset times of atracurium, RÉDAI, I., *et al.*, (*ARS*) 474P
Neuromuscular block, mivacurium, Antagonism of mivacurium block with edrophonium from various degrees of spontaneous recovery, CONNOLLY, F. M., *et al.* 229–230
——, Comparison of the haemodynamic effects of mivacurium and atracurium during fentanyl anaesthesia, LOAN, P. B., *et al.* 330–332

——, Dexmedetomidine does not modify the neuromuscular blocking action of vecuronium in the anaesthetized rat, WEINGER, M. B., *et al.* 455–457
——, Dose–response studies of the interaction between mivacurium and suxamethonium, NAGUIB, M., *et al.* 26–30
——, Effect of renal function on neuromuscular block induced by continuous infusion of mivacurium, BLOBNER, M., *et al.* 452–454
——, Mivacurium-induced prolonged neuromuscular block, SOCKALINGAM, I., *et al.* 234–236
——, Prolonged neuromuscular block associated with mivacurium, FOX, M. H., *et al.* 237–238
——, Recovery characteristics after early administration of anticholinesterases during intense mivacurium-induced neuromuscular block, ABDULATIF, M. 20–25
Neuromuscular block, Org 9487, Time course of action of Org 9487 with or without reversal: comparison with suxamethonium, CONNOLLY, F. M., *et al.*, (*ARS*) 473P
Neuromuscular block, pancuronium, Antagonism of pancuronium- and pipecuronium-induced neuromuscular block, GYERMEK, L., *et al.* 410–414
Neuromuscular block, pipecuronium, Antagonism of pancuronium- and pipecuronium-induced neuromuscular block, GYERMEK, L., *et al.* 410–414
——, Pulmonary function and head lift during spontaneous recovery from pipecuronium neuromuscular block, EL MIKATTI, N., *et al.* 16–19
Neuromuscular block, recovery, Comparison of duration of neuromuscular blocking effect of atracurium and vecuronium in young and elderly patients, SLAVOV, V., *et al.* 709–711
Neuromuscular block, rocuronium, Rocuronium for Caesarean section, ABOULEISH, E., *et al.*, (*C*) 347–348
——, Rocuronium for Caesarean section, ABOULEISH, E., *et al.*, (*C*) 348
——, Rocuronium for Caesarean section, KWAN, W.-F., *et al.*, (*C*) 347
——, Rocuronium for Caesarean section, MCSWINEY, M., *et al.*, (*C*) 348
——, Rocuronium for Caesarean section, SWALES, H. A., *et al.*, (*C*) 348
Neuromuscular block, suxamethonium, Dose–response studies of the interaction between mivacurium and suxamethonium, NAGUIB, M., *et al.* 26–30
——, Effect of different volatile anaesthetics on suxamethonium-induced jaw muscle contracture in rats, SHI, Y., *et al.* 712–713
——, Effectiveness and sequelae of very low-dose suxamethonium for nasal intubation, NIMMO, S. M., *et al.* 31–34
——, Time course of action of Org 9487 with or without reversal: comparison with suxamethonium, CONNOLLY, F. M., *et al.*, (*ARS*) 473P
Neuromuscular block, vecuronium, Comparison of duration of neuromuscular blocking effect of atracurium and vecuronium in young and elderly patients, SLAVOV, V., *et al.* 709–711
——, Influence of cold on the recovery of vecuronium and decamethonium in humans, ENGLAND, A. J., *et al.*, (*ARS*) 473P
——, Interaction of magnesium sulphate with vecuronium-induced neuromuscular block, FUCHS-BUDER, T., *et al.* 405–409
——, Low and high frequency stimulation tests to characterize the effects of edrophonium on vecuronium-induced neuromuscular block, BAURAIN, M. J., *et al.* 12–15
——, Onset of neuromuscular block is the same if the ipsilateral or contralateral limb to the injection site is used for monitoring, MERLE, J. C., *et al.* 333–334
——, Post-tetanic burst: a new monitoring method for intense neuromuscular block, SAITOH, Y., *et al.* 293–295
——, Prediction of infusion rates of vecuronium using the bolus test dose technique, MORGAN, R. J., *et al.* 651–654
Neuromuscular function, synapses, Effects of single doses of 5-hydroxytryptamine on the rat hemidiaphragm preparation, HINDLE, A. T., *et al.*, (*ARS*) 483P

Operating rooms, contamination, Effective absorption of nitrogen dioxide with soda lime, ISHIBE, Y., *et al.*, (*C*) 108–109
——, Effective absorption of nitrogen dioxide with soda lime, PICKETT, J. A., *et al.*, (*C*) 108–109
Operating rooms, personnel, Departmental guides for anaesthetic emergencies, HEATH, M. L., (*ARS*) 484P
Oxygen, consumption, Breath-by-breath analysis of oxygen uptake using the Datex Ultima, BARNARD, J. P. M., *et al.* 155–158
——, Dobutamine-induced dissociation between changes in splanchnic blood flow and gastric intramucosal pH after cardiac surgery, PARVIAINEN, I., *et al.* 277–282
Oxygen, delivery, Dobutamine-induced dissociation between changes in splanchnic blood flow and gastric intramucosal pH after cardiac surgery, PARVIAINEN, I., *et al.* 277–282
Oxygen, P_{50}, *In vitro* oxyhaemoglobin saturation measurements in haemoglobin solutions using fibreoptic pulmonary artery catheters, KONG, C. S., *et al.* 201–208
Oxygen, saturation, Auditory evoked responses and near infrared spectroscopy during cardiac arrest, PILKINGTON, S. N., *et al.* 717–719
——, Cerebrovascular effects of arterial desaturation in volunteers, GUPTA, A. K., *et al.*, (*ARS*) 487P
——, *In vitro* oxyhaemoglobin saturation measurements in haemoglobin solutions using fibreoptic pulmonary artery catheters, KONG, C. S., *et al.* 201–208
Oxygen, therapy, Comparison of three devices for oxygen administration in the late postoperative period, STAUSHOLM, K., *et al.* 607–609
Oxygen, tissue, Gastric intramucosal pH, tissue oxygenation and acid–base balance, FIDDIAN-GREEN, R. G. 591–606
Oxygen, uptake, Breath-by-breath analysis of oxygen uptake using the Datex Ultima, BARNARD, J. P. M., *et al.* 155–158

Paediatric Day Case Surgery, MORTON, N. S., *et al.*, (editors), (*R*) 356
Pain: Acute and Chronic, SHIPTON, E. A., (*R*) 494
Pain and Kampo: The Use of Japanese Herbal Medicine in Management of Pain, OYAMA, T., *et al.*, (editors), (*R*) 356
Pain, neuropathic, Effect of different pre-emptive treatments on long-term neuropeptide expression in the dorsal root ganglia in a model of neuropathic pain, MUNGLANI, R., *et al.*, (*ARS*) 482P
Pain, postoperative, Comparison of two methods of ankle block for foot surgery, MARSHALL, S., *et al.*, (*ARS*) 481P
——, Is post-laparoscopy pain related to residual carbon dioxide volume? JACKSON, S. A., *et al.*, (*ARS*) 477P
——, I.v. tenoxicam for analgesia during Caesarean section, ELHAKIM, M., *et al.* 643–646
——, Multimodal analgesia before thoracic surgery, DOYLE, E., *et al.*, (*C*) 241
——, Multimodal analgesia before thoracic surgery, KAVANAGH, B., *et al.*, (*C*) 241–242
——, Multimodal analgesia before thoracic surgery, RICHARDSON, J., *et al.*, (*C*) 240
——, Postoperative extradural analgesia, JONES, H. M., *et al.*, (*C*) 354
——, Postoperative extradural analgesia, WHEATLEY, R. G., *et al.*, (*C*) 355
——, Selection of the optimum opioid for extradural administration in the treatment of postoperative pain, CHRUBASIK, S., *et al.*, (*E*) 121–122
Parasympathetic nervous system, atropine, Atropine and glycopyrronium show similar binding patterns to M_2 (cardiac) and M_3 (submandibular gland) muscarinic receptor subtypes in the rat, GOMEZ, A., *et al.* 549–552
Parasympathetic nervous system, glycopyrronium, Atropine and glycopyrronium show similar binding patterns to M_2 (cardiac) and M_3 (submandibular gland) muscarinic receptor subtypes in the rat, GOMEZ, A., *et al.* 549–552
Parasympathetic nervous system, hyoscine, Effect of transdermal hyoscine on nausea and vomiting after surgical correction of prominent ears under general anaesthesia, HONKAVAARA, P., *et al.* 647–650
Pharmacodynamics, Pharmacodynamic effects of 51W89, an isomer of atracurium, in children during halothane anaesthesia, MERETOJA, O. A., *et al.* 6–11
——, Pharmacodynamics of the 1R *cis*-1′R *cis* isomer of atracurium (51W89) in health and chronic renal failure, BOYD, A. H., *et al.* 400–404
Pharmacokinetics, cerebrospinal fluid, CSF and plasma pharmacokinetics of the NMDA receptor antagonist CPP after intrathecal, extradural and i.v. administration in anaesthetized pigs, KRISTENSEN, J. D., *et al.* 193–200
Pharmacokinetics, lung, First-pass pulmonary retention of sufentanil at three different background blood concentrations of the opioid, BOER, F., *et al.* 50–55
Pharmacokinetics, nimodipine, Continuous infusion of nimodipine during coronary artery surgery: haemodynamic and pharmacokinetic study, HYNYNEN, M., *et al.* 526–533
Pharmacokinetics, propofol, Propofol pharmacokinetics in children with biliary atresia, RAOOF, A. A., *et al.* 46–49
Pharmacokinetics, stereoisomers, Pharmacodynamic effects of 51W89, an isomer of atracurium, in children during halothane anaesthesia, MERETOJA, O. A., *et al.* 6–11
Pharmacokinetics, sufentanil, First-pass pulmonary retention of sufentanil at three different background blood concentrations of the opioid, BOER, F., *et al.* 50–55

Pharmacology, agonists opioid, Opioid inhibition of rapid eye movement sleep by a specific mu receptor agonist, CRONIN, A., *et al.* 188–192
Pharmacology, domperidone, Interaction of the effects of domperidone and sub-anaesthetic concentrations of isoflurane on the immediate and sustained hypoxic ventilatory response in humans, FOO, I. T., *et al.* 134–140
Pharmacology, dose–response, Dose–response studies of the interaction between mivacurium and suxamethonium, NAGUIB, M., *et al.* 26–30
——, Interaction of magnesium sulphate with vecuronium-induced neuromuscular block, FUCHS-BUDER, T., *et al.* 405–409
Pharmacology, nitric oxide, Inhaled nitric oxide in acute respiratory failure, JENKINS, J. R., (*C*) 354
——, Inhaled nitric oxide in acute respiratory failure, YOUNG, J. D., (*C*) 354
——, Nitric oxide: an endogenous gas, QUINN, A. C., *et al.* 443–451
——, Nitric oxide delivery system, GILLY, H., *et al.*, (*C*) 630–631
——, Nitric oxide delivery system, KELLY, K. P., *et al.*, (*C*) 630
——, Nitric oxide delivery system, YOUNG, J. D., (*C*) 631
——, Serum nitrogen oxides during nitric oxide inhalation, VALVINI, E. M., *et al.* 338–339
Pharmacology, toxins, Animal toxins, KARALLIEDDE, L. 319–327
Pig, CSF and plasma pharmacokinetics of the NMDA receptor antagonist CPP after intrathecal, extradural and i.v. administration in anaesthetized pigs, KRISTENSEN, J. D., *et al.* 193–200
Polypeptides, aprotinin, Aprotinin in knee replacement surgery, BALL, D. A., (*C*) 243–244
——, Heparin and platelet function, BOLDT, J., (*C*) 491
——, Heparin and platelet function, GOWER, S. N., (*C*) 490–491
Polypeptides, cytokines, Cytokines and sepsis: time for reappraisal, YENTIS, S. M., (*E*) 119–120
Polypeptides, endothelin, Perioperative plasma endothelin-1 concentrations and vasoconstriction during prolonged plastic surgical procedures, TUOMINEN, H. P., *et al.* 661–666
Position, arm, Effect of arm position on the effectiveness of perivascular axillary nerve block, KOSCIELNIAK-NIELSEN, Z. J., *et al.* 387–391
Position, effects, Effect of arm position on the effectiveness of perivascular axillary nerve block, KOSCIELNIAK-NIELSEN, Z. J., *et al.* 387–391
——, Posture and autonomic cardiac control, GALLETLY, D. C., *et al.*, (*C*) 629
——, Posture and autonomic cardiac control, KARDOS, A., *et al.*, (*C*) 628–629
Position, Trendelenburg, Posture and autonomic cardiac control, GALLETLY, D. C., *et al.*, (*C*) 629
——, Posture and autonomic cardiac control, KARDOS, A., *et al.*, (*C*) 628–629
Pregnancy, Bupivacaine-free analgesia for the first stage of labour with clonidine–fentanyl, BUGGY, D., (*ARS*) 481P
——, Free radical generation in pre-eclamptic and normotensive pregnancies, KELLOW, N. H., *et al.*, (*ARS*) 474–475P
——, Hyperventilation-induced unconsciousness during labour, BOURLIER, R. A., *et al.*, (*C*) 629
——, Hyperventilation-induced unconsciousness during labour, BURDEN, R. J., *et al.*, (*C*) 630
——, Increase in Mallampati score during pregnancy, PILKINGTON, S., *et al.* 638–642
Premedication, temazepam, Effects of propofol and thiopentone, and benzodiazepine premedication on heart rate variability measured by spectral analysis, HOWELL, S. J., *et al.* 168–173
Principles and Practice of Mechanical Ventilation, TOBIN, M. J., (editor), (*R*) 245
Psychological responses, Assessment of preoperative anxiety: comparison of measures in patients awaiting surgery for breast cancer, MILLAR, K., *et al.* 180–183
——, Psychological adjunct to perioperative antiemesis, LAUDER, G. R., *et al.* 266–270
——, Psychological characteristics and the effectiveness of patient-controlled analgesia, THOMAS, V., *et al.* 271–276
Publications, Accuracy of subject and author indexes in five anaesthesia journals, SARANTOPOULOS, C., *et al.* 104–106
Pulse Oximetry, MOYLE, J. T. B., (*R*) 116

Rabbit, Effect of sevoflurane on the vascular reactivity of rabbit mesenteric artery, YAMAGUCHI, A., *et al.* 576–582
——, Effects of isoflurane on regional pulmonary blood flow during one-lung ventilation, GROH, J., *et al.* 209–216
Rat, Atropine and glycopyrronium show similar binding patterns to M_2 (cardiac) and M_3 (submandibular gland) muscarinic receptor subtypes in the rat, GOMEZ, A., *et al.* 549–552
——, Cerebral blood flow distribution during induced hypotension with haemorrhage, trimetaphan or nitroprusside in rats, TSUTSUI, T., *et al.* 686–690
——, Comparative effects of halothane, enflurane, isoflurane and sevoflurane on function and metabolism in the ischaemic rat heart, OGUCHI, T., *et al.* 569–575
——, Dexmedetomidine does not modify the neuromuscular blocking action of vecuronium in the anaesthetized rat, WEINGER, M. B., *et al.* 455–457
——, Potency of lipid and protein formulation of 5α-pregnanolone at induction of anaesthesia and the corresponding regional brain distribution, WANG, M. D., *et al.* 553–557
——, Selective effects of alfentanil on nociceptive-related neurotransmission in neonatal rat spinal cord, FENG, J., *et al.* 691–696
Receptors, adrenergic, Actions of morphine on noradrenaline efflux in the rat locus coeruleus are mediated via both opioid and α_2 adrenoceptor mechanisms, JORM, C. M., *et al.* 73–78
Receptors, amino acid, CSF and plasma pharmacokinetics of the NMDA receptor antagonist CPP after intrathecal, extradural and i.v. administration in anaesthetized pigs, KRISTENSEN, J. D., *et al.* 193–200
——, Selective effects of ketamine on amino acid-mediated pathways in neonatal rat spinal cord, BROCKMEYER, D. M., *et al.* 79–84
Receptors, muscarinic, Atropine and glycopyrronium show similar binding patterns to M_2 (cardiac) and M_3 (submandibular gland) muscarinic receptor subtypes in the rat, GOMEZ, A., *et al.* 549–552
——, Muscarinic receptor subtypes: do they have a place in clinical anaesthesia? LAMBERT, D. G., *et al.*, (*E*) 497–499
Receptors, opioid, Actions of morphine on noradrenaline efflux in the rat locus coeruleus are mediated via both opioid and α_2 adrenoceptor mechanisms, JORM, C. M., *et al.* 73–78
——, Opioid inhibition of rapid eye movement sleep by a specific mu receptor agonist, CRONIN, A., *et al.* 188–192
Receptors, transmembrane, Atropine and glycopyrronium show similar binding patterns to M_2 (cardiac) and M_3 (submandibular gland) muscarinic receptor subtypes in the rat, GOMEZ, A., *et al.* 549–552
Records, medical, Effect of automatic record keeping on vigilance and record keeping time, ALLARD, J., *et al.* 619–626

Serotonin (5-hydroxytryptamine), Effects of single doses of 5-hydroxytryptamine on the rat hemidiaphragm preparation, HINDLE, A. T., *et al.*, (*ARS*) 483P
Skin, temperature, Cutaneous heat loss in children during anaesthesia, ANTTONEN, H., *et al.* 306–310
Sleep, Opioid inhibition of rapid eye movement sleep by a specific mu receptor agonist, CRONIN, A., *et al.* 188–192
Spinal cord, evoked potentials, Selective effects of alfentanil on nociceptive-related neurotransmission in neonatal rat spinal cord, FENG, J., *et al.* 691–696
Surgery, abdominal, Comparison of extradural fentanyl, bupivacaine and two fentanyl–bupivacaine mixtures for pain relief after abdominal surgery, TORDA, T. A., *et al.* 35–40
——, Effects of extradural sufentanil and morphine on ventilation, DRUMMOND, G. B., (*C*) 492–493
——, Effects of extradural sufentanil and morphine on ventilation, ROSEN, M., (*C*) 493
——, Thoracoabdominal mechanics and respiration after abdominal surgery, DRUMMOND, G. B., *et al.*, (*ARS*) 486P
Surgery, cardiac, Comparison of the haemodynamic effects of dopamine and dobutamine in young children undergoing cardiac surgery, BOOKER, P. D., *et al.* 419–423
——, Comparison of two different scoring systems for predicting outcome after cardiac surgery, STEDMON, J., *et al.*, (*ARS*) 478P
Surgery, cardiovascular, Comparison of the haemodynamic effects of mivacurium and atracurium during fentanyl anaesthesia, LOAN, P. B., *et al.* 330–332
——, Continuous infusion of nimodipine during coronary artery surgery: haemodynamic and pharmacokinetic study, HYNYNEN, M., *et al.* 526–533
——, Dobutamine-induced dissociation between changes in splanchnic blood flow and gastric intramucosal pH after cardiac surgery, PARVIAINEN, I., *et al.* 277–282
——, Endothelial-related coagulation in cardiac surgery, BOLDT, J., *et al.* 174–179

——, Tracheal tube cuff pressure during cardiac surgery using cardiopulmonary bypass, INADA, T., *et al.* 283–286
Surgery, day-case, Circumcision analgesia, ANDERSEN, K. H., (*C*) 627
——, Circumcision analgesia, CHAMBERS, F. A., (*C*) 627
——, Intra-vas deferens bupivacaine for prevention of acute pain and chronic discomfort after vasectomy, PAXTON, L. D., *et al.* 612–613
Surgery, endarterectomy, Effect of carotid endarterectomy on plasma antioxidant potential and free radical production, GUPTA, A. K., *et al.*, (*ARS*) 475–476P
Surgery, gynaecological, Effect of nabilone on nausea and vomiting, BARROWCLIFFE, M., *et al.*, (*C*) 112–113
——, Effect of nabilone on nausea and vomiting, TONER, C. C., *et al.*, (*C*) 112
——, Effect of nabilone on nausea and vomiting, WILLIAMS, P. I., *et al.*, (*C*) 112
Surgery, hepatic, Post-reperfusion coagulopathy, BAYLY, P. J. M., (*C*) 629
——, Post-reperfusion coagulopathy, HUGGINS, J., (*C*) 629
——, Prevention of hypothermia during orthotopic liver transplantation: comparison of three different intraoperative warming methods, RUSSELL, S. H., *et al.* 415–418
Surgery, laparoscopy, Is post-laparoscopy pain related to residual carbon dioxide volume? JACKSON, S. A., *et al.*, (*ARS*) 477P
Surgery, metabolic response, Effects of skin incision on respiratory pattern during anaesthesia with enflurane and nitrous oxide, SUTHERLAND, R. W., *et al.*, (*ARS*) 487–488P
Surgery, ophthalmological, Comparison of two standard techniques of general anaesthesia for day-case cataract surgery, MOFFAT, A., *et al.* 145–148
——, Metabolic control of non-insulin-dependent diabetic patients undergoing cataract surgery: comparison of local and general anaesthesia, BARKER, J. P., *et al.* 500–505
Surgery, orthopaedic, Alkalinization of local anaesthetic for intra-articular instillation during arthroscopy, RICHMOND, C., (*C*) 115
——, Alkalinization of local anaesthetic for intra-articular instillation during arthroscopy, SMITH, I., (*C*) 114–115
——, Aprotinin in knee replacement surgery, BALL, D. A., (*C*) 243–244
——, Comparison of two methods of ankle block for foot surgery, MARSHALL, S., *et al.*, (*ARS*) 481P
——, Extradural ropivacaine and bupivacaine in hip surgery, WOLFF, A. P., *et al.* 458–460
——, Normal postoperative gastric emptying after orthopaedic surgery with spinal anaesthesia and i.m. ketorolac as the first postoperative analgesic, PETRING, O. U., *et al.* 257–260
——, Prolonged postoperative analgesia for arthrolysis of the elbow joint, PARIKH, R. K., *et al.* 469–471
——, Regional morphine for analgesia after foot surgery, SERPELL, M. G., *et al.*, (*ARS*) 480–481P
——, Total i.v. anaesthesia with propofol and the laryngeal mask for orthopaedic surgery, DYER, R. A., *et al.* 123–128
——, Tranexamic acid (Cyklokapron) reduces perioperative blood loss associated with total knee arthroplasty, HIIPPALA, S., *et al.* 534–537
Surgery, plastic, Effect of transdermal hyoscine on nausea and vomiting after surgical correction of prominent ears under general anaesthesia, HONKAVAARA, P., *et al.* 647–650
——, Infraorbital nerve block in neonates for cleft lip repair: anatomical study and clinical application, BÖSENBERG, A. T., *et al.* 506–508
——, Perioperative plasma endothelin-1 concentrations and vasoconstriction during prolonged plastic surgical procedures, TUOMINEN, H. P., *et al.* 661–666
Surgery, postoperative period, Postoperative extradural analgesia, JONES, H. M., *et al.*, (*C*) 354
——, Postoperative extradural analgesia, WHEATLEY, R. G., *et al.*, (*C*) 355
Surgery, thoracic, Multimodal analgesia before thoracic surgery, DOYLE, E., *et al.*, (*C*) 241
——, Multimodal analgesia before thoracic surgery, KAVANAGH, B., *et al.*, (*C*) 241–242
——, Multimodal analgesia before thoracic surgery, RICHARDSON, J., *et al.*, (*C*) 240
——, Tracheal anaesthesia for transthoracic endoscopic sympathectomy: an alternative to endobronchial anaesthesia, OLSFANGER, D., *et al.* 141–144
Surgery, transplantation, Post-reperfusion coagulopathy, BAYLY, P. J. M., (*C*) 629
——, Post-reperfusion coagulopathy, HUGGINS, J., (*C*) 629
Surgery, urological, Intra-vas deferens bupivacaine for prevention of acute pain and chronic discomfort after vasectomy, PAXTON, L. D., *et al.* 612–613
——, Methoxamine and blood loss in prostatic surgery, ALEXANDER-WILLIAMS, M., (*C*) 628
——, Methoxamine and blood loss in prostatic surgery, CHAMBERS, F. A., (*C*) 628
——, Methoxamine and blood loss in prostatic surgery, CHAMBERS, F. A., (*C*) 628
——, Methoxamine and blood loss in prostatic surgery, HOWELLS, H., (*C*) 628
——, Perioperative myocardial ischaemia in patients undergoing transurethral surgery: a pilot study comparing general with spinal anaesthesia, EDWARDS, N. D., *et al.* 368–372
Sympathetic nervous system, catecholamines, Cardiovascular responses to graded doses of three catecholamines during lactic and hydrochloric acidosis in dogs, HUANG, Y.-G., *et al.* 583–590
Sympathetic nervous system, clonidine, Bupivacaine-free analgesia for the first stage of labour with clonidine–fentanyl, BUGGY, D., (*ARS*) 481P
Sympathetic nervous system, dexmedetomidine, Actions of morphine on noradrenaline efflux in the rat locus coeruleus are mediated via both opioid and α_2 adrenoceptor mechanisms, JORM, C. M., *et al.* 73–78
——, Dexmedetomidine does not modify the neuromuscular blocking action of vecuronium in the anaesthetized rat, WEINGER, M. B., *et al.* 455–457
Sympathetic nervous system, ephedrine, Cardiovascular effects of ephedrine during anaesthesia and tracheal intubation with propofol, VALLANCE, H., *et al.*, (*ARS*) 478–479P
——, Hypotension during subarachnoid anaesthesia: haemodynamic effects of ephedrine, CRITCHLEY, L. A. H., *et al.* 373–378
——, Prophylactic i.m. ephedrine in bupivacaine spinal anaesthesia, STERNLO, J.-E., *et al.* 517–520
Sympathetic nervous system, methoxamine, Methoxamine and blood loss in prostatic surgery, ALEXANDER-WILLIAMS, M., (*C*) 628
——, Methoxamine and blood loss in prostatic surgery, CHAMBERS, F. A., (*C*) 628
——, Methoxamine and blood loss in prostatic surgery, CHAMBERS, F. A., (*C*) 628
——, Methoxamine and blood loss in prostatic surgery, HOWELLS, H., (*C*) 628
Sympathetic nervous system, noradrenaline, Actions of morphine on noradrenaline efflux in the rat locus coeruleus are mediated via both opioid and α_2 adrenoceptor mechanisms, JORM, C. M., *et al.* 73–78
——, Is ketamine a voltage-sensitive Ca^{2+} channel blocker? LAMBERT, D. G., *et al.*, (*ARS*) 483P
Sympathetic nervous system, phenylephrine, Effects of phenylephrine and prostaglandin E_1 on ventriculo–arterial matching during halothane anaesthesia, HOKA, S., *et al.* 438–442

Temperature, effect, Effect of different volatile anaesthetics on suxamethonium-induced jaw muscle contracture in rats, SHI, Y., *et al.* 712–713
——, Influence of cold on the recovery of vecuronium and decamethonium in humans, ENGLAND, A. J., *et al.*, (*ARS*) 473P
Temperature, monitoring, Cutaneous heat loss in children during anaesthesia, ANTTONEN, H., *et al.* 306–310
——, Prevention of hypothermia during orthotopic liver transplantation: comparison of three different intraoperative warming methods, RUSSELL, S. H., *et al.* 415–418
The Healing Arts. An Oxford Illustrated Anthology, DOWNIE, R. S., (editor), (*R*) 726
The Oxford Medical Companion, 2nd Edn, WALTAN, J., *et al.*, (editors), (*R*) 245
Theories of anaesthetic action, cellular mechanisms, Selective effects of ketamine on amino acid-mediated pathways in neonatal rat spinal cord, BROCKMEYER, D. M., *et al.* 79–84
Toxicity, Maximum recommended doses of lignocaine are not toxic, PÄLVE, H., *et al.* 704–705
——, Serum nitrogen oxides during nitric oxide inhalation, VALVINI, E. M., *et al.* 338–339
Toxicity, local anaesthetics, Maximum recommended doses of lignocaine are not toxic, PÄLVE, H., *et al.* 704–705
Toxins, animal, Animal toxins, KARALLIEDDE, L. 319–327

Veins, jugular, cannulation, Retrograde cannulation of the jugular vein: erroneous positioning of the catheter in the subarachnoid space, FUMAGALLI, P., *et al.* 345–346
Ventilation, apnoea, Effects of extradural sufentanil and morphine on ventilation, DRUMMOND, G. B., (*C*) 492–493
——, Effects of extradural sufentanil and morphine on ventilation, ROSEN, M., (*C*) 493

Ventilation, deadspace, In dead-space studies, capnograph and blood-gas analyser should be cross-calibrated with the same gas, FLETCHER, R., (*ARS*) 485–486P
Ventilation, effects, Bimodality of expiratory time in patients anaesthetized with propofol, GOODMAN, N. W. 129–133
Ventilation, fresh gas flow, Effect of total flow rate on the concentration of degradation products generated by reaction between sevoflurane and soda lime, BITO, H., *et al.* 667–669
——, Fractional delivery as a predictor of end-tidal carbon dioxide concentration during controlled ventilation in adults, BARRIE, J. R., *et al.*, (*ARS*) 485P
Ventilation, hyperventilation, Hyperventilation reverses the nitrous oxide-induced increase in cerebral blood flow velocity in human volunteers, HÖRMANN, CH., *et al.* 616–618
——, Hyperventilation-induced unconsciousness during labour, BOURLIER, R. A., *et al.*, (*C*) 629
——, Hyperventilation-induced unconsciousness during labour, BURDEN, R. J., *et al.*, (*C*) 630
Ventilation, hypoxic response, Halothane affects ventilatory afterdischarge in humans, DAHAN, A., *et al.* 544–548
——, Interaction of the effects of domperidone and sub-anaesthetic concentrations of isoflurane on the immediate and sustained hypoxic ventilatory response in humans, FOO, I. T., *et al.* 134–140
Ventilation, mechanics, Thoracoabdominal mechanics and respiration after abdominal surgery, DRUMMOND, G. B., *et al.*, (*ARS*) 486P
Ventilation, one-lung, Effects of isoflurane on regional pulmonary blood flow during one-lung ventilation, GROH, J., *et al.* 209–216
Ventilation, pattern, Effects of skin incision on respiratory pattern during anaesthesia with enflurane and nitrous oxide, SUTHERLAND, R. W., *et al.*, (*ARS*) 487–488P
Ventilation, positive end-expiratory pressure, Intraoperative cardiac arrest after unrecognized dynamic hyperinflation, MYLES, P. S., *et al.* 340–342
Ventilation, ribcage, Chest wall movement on induction of anaesthesia with thiopentone, propofol, and eltanolone, SPENS, H. J., *et al.*, (*ARS*) 472P
Vomiting, antiemetics, Akathisia after low-dose droperidol, FOSTER, P. N., *et al.*, (*ARS*) 477P
——, Effect of nabilone on nausea and vomiting, BARROWCLIFFE, M., *et al.*, (*C*) 112–113
——, Effect of nabilone on nausea and vomiting, TONER, C. C., *et al.*, (*C*) 112
——, Effect of nabilone on nausea and vomiting, WILLIAMS, P. I., *et al.*, (*C*) 112
——, Effect of transdermal hyoscine on nausea and vomiting after surgical correction of prominent ears under general anaesthesia, HONKAVAARA, P., *et al.* 647–650
——, Low-dose droperidol reduces postoperative vomiting in paediatric day surgery, LUNN, D. V., *et al.* 509–511
——, Minor morbidity after day-case laparoscopy and the influence of droperidol 0.5 mg: a 1 month study, WATKINS, S., *et al.*, (*ARS*) 478P
Vomiting, incidence, Psychological adjunct to perioperative antiemesis, LAUDER, G. R., *et al.* 266–270
Vomiting, nausea, Effect of nabilone on nausea and vomiting, BARROWCLIFFE, M., *et al.*, (*C*) 112–113
——, Effect of nabilone on nausea and vomiting, TONER, C. C., *et al.*, (*C*) 112
——, Effect of nabilone on nausea and vomiting, WILLIAMS, P. I., *et al.*, (*C*) 112
——, Effect of transdermal hyoscine on nausea and vomiting after surgical correction of prominent ears under general anaesthesia, HONKAVAARA, P., *et al.* 647–650
——, Effects of sub-hypnotic doses of propofol on the side effects of intrathecal morphine, BORGEAT, A., *et al.*, (*C*) 243
——, Low-dose droperidol reduces postoperative vomiting in paediatric day surgery, LUNN, D. V., *et al.* 509–511
——, Psychological adjunct to perioperative antiemesis, LAUDER, G. R., *et al.* 266–270
Vomiting, nausea, patient factors, Psychological adjunct to perioperative antiemesis, LAUDER, G. R., *et al.* 266–270